## IJPSR (2012), Vol. 3, Issue 10

(Research Article)



# INTERNATIONAL JOURNAL OF PHARMACEUTICAL SCIENCES AND RESEARCH



Received on 02 June, 2012; received in revised form 19 June, 2012; accepted 28 June, 2012

# SIMULTANEOUS ESTIMATION OF MEFENAMIC ACID AND DICYCLOMINE HYDROCHLORIDE BY SPECTROSCOPIC METHODS

Dipal Prajapati\* and Hasumati Raj

Department of Quality Assurance, Shree Dhanvantary Pharmacy College, Kim-Kudsad Road, Kim, Surat-394110, Gujarat, India

#### Keywords:

Mefenamic acid,
Dicyclomine hydrochloride,
Derivative Spectroscopy,
Zero crossing point,
Combined dosage form

#### **Correspondence to Author:**

#### D.N. Prajapati

13, ManishaNand Complex, 1st floor, Near Shanti Vidyalay, Link Road, Bharuch – 392001, Gujarat, India

E-mail: dipalprajapati13@yahoo.com

#### **ABSTRACT**

A novel, simple, accurate, sensitive, reproducible, economical spectroscopic method was developed and validated for the determination of Mefenamic acid and Dicyclomine hydrochloride in combined dosage form. Three different analytical methods, Absorption correction method, Differential derivative method, Simultaneous equation method were developed for estimation of Dicyclomine hydrochloride(10mg) and Mefenamic acid (250mg) in tablet dosage form, wavelength for estimation was 223nm for Dicyclomine hydrochloride and 308.60nm for Mefenamic acid in absorption correction method. 211.60nm was Zero crossing point of Mefenamic acid and 308.80nm was Zero crossing point of Dicyclomine hydrochloride which can estimate in differential derivative method. Simultaneous equation method was developed in NaOH which was linear in the range of 1-6µg/ml for Dicyclomine hydrochloride and 25-150µg/ml for Mefenamic acid, the correlation coefficient obtained was nearer to one. The method was validated for linearity, accuracy and precision as per ICH guidelines. The developed and validated method was successfully used for the quantitative analysis of commercially available dosage form.

**INTRODUCTION:** Mefenamic acid [*N*-(2, 3-xylyl) anthranilic acid] is an Aminobenzoate, a subclass of analgesic with Non steroidal anti-Inflammatory properties <sup>1</sup>. It acts by binds the prostaglandin synthetase receptors COX-1 and COX-2, inhibiting the action of prostaglandin synthetase <sup>2, 3</sup>. It is used for the treatment of rheumatoid arthritis, osteoarthritis, dysmenorrhea, and mild to moderate pain, inflammation, and fever <sup>4</sup>.

Dicyclomine (bicyclohexyl]-1-carboxylic acid is an antispasmodic and anticholinergic (antimuscarinic) agent <sup>5</sup>. It Action is achieved via a dual mechanism: a specific anticholinergic effect (antimuscarinic) at the acetylcholine-receptor sites, a direct effect upon smooth muscle (musculotropic) <sup>5</sup>.

It is used to treat a certain type of intestinal problem called irritable bowel syndrome. It helps to reduce the symptoms of stomach and intestinal cramping. This medication works by slowing the natural movements of the gut and by relaxing the muscles in the stomach and intestines <sup>6, 7</sup>. Combination of Mefenamic Acid and Dicyclomine Hydrochloride has a Synergistic effect.



This Combination is a highly effective and used in the treatment of spasmodic dysmenorrhoea, intestinal colic, biliary colic, ureteric colic <sup>8</sup>. Mefenamic Acid is a medication that helps in reducing the pain in the body. Antipyretic is a drug that helps in reducing the fever by reducing the temperature of the body to the normal temperature. Anti-inflammatory is a kind of medication that is mainly for reducing by controlling the pain. inflammation Dicyclomine HCl helps in offering relief to the cramps of the stomach, bladder and intestine 8.

Both the drugs are official in Indian pharmacopoeia 2010 <sup>11</sup>, United State Pharmacopoeia <sup>12</sup> and British Pharmacopoeia <sup>13</sup>. Literature survey reveals that RP-HPLC <sup>14</sup>, Liquid Chromatography <sup>15</sup>, Voltametry <sup>18</sup>, UV-Visible Spectrophotometry <sup>20</sup>, <sup>21</sup>, methods were reported for the estimation of Mefenamic Acid alone or in combination with other drugs except Dicyclomine Hydrochloride and Capillary Gas-Chromatography <sup>30</sup>, Stability indicating gas-liquid chromatography <sup>30</sup>, HPTLC<sup>31</sup>, methods were reported for the estimation of Dicyclomine Hydrochloride alone or in combination with other drugs except Mefenamic Acid.

As per literature survey, no analytical method has been reported for simultaneous estimation of Mefenamic Acid and Dicyclomine Hydrochloride in pharmaceutical dosage forms. Therefore the present research work, our aim is to develop a novel, simple, accurate, sensitive, reproducible, economical analytical method to estimate Mefenamic Acid & Dicyclomine Hydrochloride in their combined dosage form in routine analysis.

#### **MATERIALS AND METHODS:**

Reagents and Chemicals: Methanol (AR Grade) and NaOH (S.D. fine Chemicals) were used as solvent. Pure Standard gift sample of Mefenamic Acid (MEF) and Dicyclomine Hydrochloride (DICY) provided by Shree Dhanvantary Pharmaceutical Analysis & Research Centre, (Kim) and Mercury labs Ltd., Vadodara. Tablets of MEFTAL-SPAS (Mefenamic Acid- 250 mg, Dicyclomine Hydrochloride- 10 mg) were purchased from local market.

Instruments: Shimadzu UV/Vis-2450 and UV/Vis-1800 double beam UV/Vis spectrophotometer with a fixed slit width of 2 nm, 1 cm quartz cells was used for recording derivative spectra of standard and test samples. Sartorius CD2250 balance was used for weighing the samples. Class 'A' volumetric glassware were used.

# Preparation of standard solution:

- 1. Absorption Correction and Differential Derivative Method:
  - a. Preparation of stock solution of MEF: Weighed accurately about 10mg of MEF & transferred into 100 mL volumetric flask add 20mL of methanol and sonicated for about 15 min than diluted up to the mark with methanol to get a stock solution having strength 100  $\mu$ g/mL.
  - b. Preparation of working Standard solution of MEF: 100 μg/mL of MEF solution was prepared by diluting stock solution to 10mL with Methanol: NaOH (50:50) and NaOH. This solution was diluted further to get the concentration range of 10, 25, 30, 40, 50, 75 μg/mL of MEF.
  - c. **Preparation of stock solution of DICY:** Weighed accurately about 10mg of DICY & transferred into 100 mL volumetric flask add 20mL of methanol and sonicated for about 15 min than diluted up to the mark with methanol to get a stock solution having strength 100µg/mL.
  - d. Preparation of Working Standard Solution of DICY:  $100 \mu g/mL$  of DICY solution was prepared by diluting stock solution to 10 mL with Methanol: NaOH (50:50) and NaOH. This solution was diluted further to get the concentration range of 1, 2, 3, 4, 5, 6  $\mu g/ml$  of DICY.
- 2. **Simultaneous Equation method:** An accurately weighed quantity of MEF (50 mg) and DICY (10 mg) were transferred to a separate 100 mL volumetric flask, respectively and dissolved and diluted to the mark with Methanol to obtain standard solution having concentration of MEF (500μg/mL) and DICY (100 μg/mL). Further dilution with NaOH as a solvent.

# Procedure for Determination of Wavelength for Measurement:

- 1. Absorption Correction and Differential Derivative Method: 0.1 mL of working standard solution of Dicyclomine HCl(100µg/mL) and 2.5 mL of working standard solution of Mefenamic acid(2500µg/mL) was pipetted out in two different 10 mL volumetric flask to have a concentration of 10µg/mL and 250µg/mL for DICY and MEF respectively. One flask dilute up to make with 0.1N NaOH and labelled as sample cell & Second flask were dilute up to mark with mixture of Methanol: NaOH (50:50) and labelled as reference cell. Prepared solutions were scanned in the range of 200-400 nm on Shimadzu double beam UV visible spectrophotometer using Reference compartment solution in reference cell & sample compartment in sample cell. Wavelength estimation was selected from scan spectra. According to same procedure the derivative recorded spectra were bv using digital differentiation (Convolution method) with a derivative wavelength difference ( $\Delta\lambda$  (N)) of 2 nm in the range of 200-400 nm.
- 2. **Simultaneous equation Method:** By appropriate dilution of two standard drug stock solutions with methanol, solutions containing 500  $\mu$ g/mL of MEF and 100  $\mu$ g/mL of DICY were scanned separately in the range of 200-400 nm to determine the wavelength of maximum absorption for both the drugs. MEF showed absorbance maxima at 335 nm and DICY at 218.40 nm.

**Validation:** Sample preparation for validation was given in following manner but dilutions were made according to solvent required for differential & simultaneous equation method.

The methods were validated with respect to linearity, precision, accuracy, robustness, LOD & LOQ and assay.

**Linearity:** Standard stock solutions were prepared by dissolving 25 mg MEF and 10 mg of DICY in 100 ml volumetric flasks in 25 mL Methanol and the volume was made up with Methanol to get a concentration of 250  $\mu$ g/mL of MEF and 100  $\mu$ g/mL of DICY. From this, suitable dilutions were made in NaOH to get the working standard solutions of 10-75  $\mu$ g/mL for MEF

and 1-6  $\mu$ g/mL for DICY. Absorbance of each solution measured at 308.60nm for MEF, 223nm for DICY in Absorption Correction Method. The absorbance of the derivatised spectra was measured at 308.80 nm and 211.60 nm for MEF and DICY, respectively in Differential Derivative Method. Several aliquots of standard stock solutions were taken in different 10mL volumetric flask and diluted up to mark with NaOH, such that the final linearity concentration of MEF and DICY were 25-150  $\mu$ g/mL and 1-6  $\mu$ g/mL in Simultaneous Method. Five replicate analyses were carried out. Plot the calibration curve of absorbance Vs respective concentration for MEF and DICY. Find out correlation coefficient and regression line equations for MEF and DICY.

**Precision:** The precision of the developed method was assessed in terms of repeatability (intra-day) and intermediate precision (inter-day) by analyzing three replicate of standard stock solutions at three levels that cover the calibration ranges for MEF and DICY. The % RSD value of the results corresponding to the absorbance was expressed for intra-day precision and on 3 days for intermediate (inter-day) precision.

Accuracy: Accuracy of the method was calculated by recovery studies at three levels (80%, 100% and 120%) by standard addition method. Twenty tablets were weighed and average weight was calculated. Twenty tablets were weighed and average weight was calculated. The tablets were crushed to obtain fine powder. Tablet powder equivalent to 125 mg MEF was transferred to 50 mL volumetric flask. 25 mL Methanol was added to dissolve the drugs and then volume was made up to the mark and sonicated for 15 minutes. The solution was then filtered through a Whatman filter paper (No. 41). From the filtrate 0.1 mL was transferred to three 10.0 mL volumetric flasks and add 0.08 mL (Flask 1), 0.1 mL (Flask 2), and 0.12 mL(Flask 3) of stock solution of API and then made up to the mark with suitable solvent to made them 80%, 100% and 120% spiking.

**Robustness:** The robustness of an analytical procedure is the measure of its capacity to remain unaffected by small, but deliberate, variations in method parameters and provides an indication of its reliability during normal usage. The parameters were change of volumetric flasks (10 mL, 50 mL and 100 mL) and

Change in instrument (UV-Vis Spectrophotometer model no. 1800 and 2450). Three replicates were made for the same conc. (25µg/mL of MEF and 1µg/mL of DICY) in 10 mL, 50 mL and 100 mL volumetric flasks and the recording of absorbances were done on both the UV-Vis spectrophotometer. The result is expressed in Percentage RSD.

Limit of detection (LOD) and limit of quantization (LOQ): LOD and LOQ were calculated from the data obtained from the linearity studies. The slope of the linearity plot was determined. For each of the ten replicate determinations of same conc. (25  $\mu$ g/mL of MEF and 1  $\mu$ g/mL of DICY), standard deviation (SD) of the responses was calculated. From these values, the parameters Limit of Detection (LOD) and Limit of Quantitation were determined on the basis of standard deviation and slope of the regression equation.

$$LOD = (3.3 \times SD) / Slope$$

$$LOQ = (10 \times SD) / Slope$$

Assay: Twenty tablets were weighed and finely powdered. The average weight of tablets is determined with the help of weight of 20 tablets. A portion of powder equivalent to the weight of 125 mg of MEF was accurately weighed into 50 mL A-grade volumetric flask and 25 mL Methanol was added. The volumetric flask was sonicated for 15 min to effect complete dissolution of the DICY and MEF, the solution was then made up to volume with Methanol: NaOH & NaOH. The solution was filtered through Whatman filter paper. The aliquot portion of the filtrate was further diluted to get final concentration of  $1\mu g/mL$  of DICY and 25  $\mu g/mL$  of MEF. The % assay of the drugs was calculated.

# **RESULTS AND DISCUSSION:**

1. Selection of Wavelength for Simultaneous Estimation of Mefenamic Acid and Dicyclomine HCI: (Absorption Correction and Differential Derivative Method): From the overlain spectrum of MEF and DICY in Methanol-NaOH and NaOH (Figure 1), it was observed that Dicyclomine has zero absorbance at 308.60nm; where as Mefenamic Acid has substantial absorbance. Thus, MEF was estimated directly at 308.40 nm with no

interference of DICY. For the estimation of DICY, the absorbance of MEF was deducted from the total absorbance of sample mixture at 223 nm. The calculated absorbance was called as Corrected absorbance for DICY (eq. 2). The Concentration of DICY was determined from calibration curve at 223 nm using the corrected absorbance (**Figure 1**).

$$C_{\text{MEF}} = A_1 / a_{x1}$$
.....(1)
$$C_{\text{DICY}} = \frac{A_2 - a_{X2} c_{\text{MEF}}}{a_{Y2}}$$
.....(2)

Where,  $A_1$  and  $A_2$  are the absorbances of mixture at 308.60 nm and 223 nm respectively,  $a_{x1}$  and  $a_{x2}$  are absorptivities of MEF and DICY at 308.60 nm and 223 nm respectively;  $a_{y2}$  is absorptivity of DICY at 223 nm;  $C_{\text{MEF}}$  is concentration of Mefenamic Acid (MEF);  $C_{\text{DICY}}$  is concentration of Dicyclomine HCI (DICY).




FIG. 1: OVERLAIN SPECTRA OF MEF AND DICY

In Differential Derivative Method, First order derivative spectrum for DICY showed zero crossing points: 211.60 nm. The wavelength selected for estimation of MEF was 210.59 nm because it showed adequate absorbance at this wavelength in mixture. Similarly, first order derivative spectrum for MEF was taken and it showed zero crossing point: 308.80 nm. The wavelength selected for estimation of DICY was 308.80 nm because it showed adequate absorbance at this wavelength in mixture (**Figure 2**).




FIG. 2: 1<sup>ST</sup>ORDER DERIVATIVE OVERLAIN SPECTRA OF MEF AND DICY




FIG. 3: ZERO CROSSING POINT OF DICY




FIG. 4: ZERO CROSSING POINT OF MEF

2. The proposed Simultaneous method provides a rapid, convenient and accurate way for routine quantitative determination of MEF and DICY. The stock solutions, working standards were prepared in methanol. The  $\lambda_{max}$  the both the drugs for analysis were determine by separately scan both the drugs in the range of 200-400 nm, wavelength selected for quantitation were 335.0 nm ( $\lambda_{max}$  of MEF) and 218.40 nm ( $\lambda_{max}$  of DICY) (Figure. 5). Two simultaneous equations (in two variables  $C_x$  and  $C_y$ ) were formed using these absorptivity coefficient values.

$$A_1 = 1.275 C_x + 0.0510 C_y$$
 (1)  
 $A_2 = 0.490 C_x + 0.0197 C_y$  (2)

Where,  $A_1$  and  $A_2$  are the absorbance of mixture at 335.0 ( $\lambda_1$ ) nm and 218.40 ( $\lambda_2$ ) nm wavelength respectively,  $C_x$  and  $C_y$  are the concentration of MEF and DICY measured in  $\mu g/mL$ , in sample solutions respectively,  $ax_1$  and  $ax_2$  are absorptivities of MEF at  $\lambda_1$  and  $\lambda_2$  respectively, ay1 and ay2 are absorptivities of DICY at  $\lambda_1$  and  $\lambda_2$  respectively. By applying the Cramer's rule to equation 1 and 2, the concentration of  $C_{MEF}$  and  $C_{DICY}$ , can be obtained as follows,

$$C_{DIC} = A_2 (0.0510) - A_1 (0.0197) / -0.00013$$
  
 $C_{MEF} = A_1 (0.490) - A_2 (1.275) / -0.00013$ 







FIG. 5: ZERO ORDER OVERLAIN SPECTRA OF DICY AND MEF

### **RESULTS:**

1. Absorption Correction and Differential Derivative Method:










FIG. 6: CALIBRATION CURVE OF MEF AND DICY. (ABSORPTION CORRECTION METHOD)

FIG. 7: CALIBRATION CURVE OF DICY AND MEF (DIFFERENTIAL DERIVATIVE METHOD)

**TABLE 1: LINEARITY (n=5)** 

Sr. no	Conc. (μg/mL)		Absorption corre	ection method	Differential derivative method		
31.110	MEF	DICY	Abs. (308.60)	Abs. (223)	Abs. (308.80)	Abs. (211.60)	
1	10	1	0.002	-0.009	0.003	0.009	
2	25	2	0.006	-0.018	0.007	0.018	
3	30	3	0.007	-0.025	0.009	0.027	
4	40	4	0.009	-0.032	0.012	0.036	
5	50	5	0.012	-0.039	0.015	0.046	
6	75	6	0.018	-0.047	0.023	0.054	

TABLE 2: PRECISION (n=3)

	Abso	Absorption correction method				Differential derivative method			
Conc. (µg/mL)	Dicyclomine	Dicyclomine HCl		Mefenamic Acid		Dicyclomine HCl		Mefenamic Acid	
(DICY: MEF)	Conc. (µg/mL)	%RSD	Conc. (µg/mL)	%RSD	Conc. (μg/mL)	%RSD	Conc. (μg/mL)	%RSD	
Repeatability	1			•		1.			
1.0:25.0	0.87	0.1385	24.57	0.1428	1.04	0.0029	25.59	0.0028	
2.0 : 50	2.05	0.0777	50.01	0.1666	1.92	0.0003	49.24	0.0007	
3.0 : 75.0	2.92	0.0234	74.25	0.0326	3.02	0.0005	74.25	0.0006	
Intra Day									
1.0 : 25.0	0.92	0.6662	25.77	0.1428	1.22	0.0009	25.59	0.0028	
2.0 : 50	2.05	0.0362	51.53	0.0911	1.95	0.0006	51.39	0.0007	
3.0 : 75.0	2.92	0.0234	74.25	0.0368	2.91	0.0002	73.97	0.0002	
Inter Day									
1.0 : 25.0	0.81	0.1237	25.77	0.2474	1.15	0.0014	24.51	0.0014	
2.0:50	2.09	0.0063	51.53	0.0455	1.92	0.0008	51.39	0.0007	
3.0 : 75.0	2.96	0.0234	75.77	0.05556	2.98	0.0003	75.05	0.00025	

# TABLE 3: ASSAY (n=3)

	ABSORPTION CORRECTION METHOD				DIFFERENTIAL DERIVATIVE METHOD			
Conc(µg/mL)	Dicyclomin	ne HCl	Mefenamic Acid		Dicyclomine HCl		Mefenamic Acid	
(DICY:MEF)	Conc. (μg/mL) ± SD	%Assay	Conc. (μg/mL) ± SD	%Assay	Conc. (μg/mL) ± SD	%Assay	Conc. (μg/mL) ± SD	%Assay
2:50	1.98±0.0057	99	50.9±0.1793	101.8	2.1±0.0070	105	50.1±0.1414	100.2
2:50	2.01±0,0152	100.5	49.9±0.3055	99.8	2.0±0.1098	104.94	51.3±0.9388	102.6

# TABLE 4: ACCURACY (RECOVERY STUDY)

**Absorption correction method:** 

		Amt. recovere	d (DICY)	Amt. recovered (MEF)	
Formulation (MEFTAL-SPAS)	(%API) DICY+MEF (μg/mL)	Conc. (μg/mL) ± SD	%Recovery	Conc. (μg/mL) ± SD	%Recovery
	(80) (1.8 + 45)	1.80±0.1492	100.33	44.85±0.42857	99.67
1:25	(100) (2 + 50)	2.014±0.1492	100.74	50.03±0.64150	100.07
	(120) (2.2 + 55 )	2.19±0.39186	99.54	54.48±0.64150	99.05

# Differential derivative method:

formulation	(0/ADI) DIOV. AAEE	Amt. recove	ered (DICY)	Amt. recovered (MEF)		
(MEFTAL- SPAS)	(%API) DICY+MEF (μg/mL)	Conc. (μg/mL) ± SD	%Recovery	Conc. (μg/mL) ± SD	%Recovery	
	(80) (3.6 +90)	3.66±0.1414	100.15	90.11±1.924	100.12	
2:50	(100) (4 + 100 )	4.066±0.1154	101.66	102.3±3.333	102.3	
	(120) (4.4 + 110 )	4.46±0.1154	101.51	112.3±3.333	102.2	

# TABLE 5: LOD and LOQ

Dayamatay	Absorption corre	ection method	Differential derivative method		
Parameter	DICY(μg/mL)	MEF(μg/mL)	DICY(μg/mL)	MEF(μg/mL)	
LOD	0.009	0.0015	0.0015	0.0015	
LOQ	3.281	0.0046	2.1295	0.0046	


# **TABLE 6: RUGGEDNESS & ROBUSTNESS**

		Absorption correction method				Diff	erential deriva	tive method	Differential derivative method			
Conc. (µg/ml)	Change in	Dicyclom	Dicyclomine HCl Me		namic Acid Dicyclo		ine HCl	Mefenam	Mefenamic Acid			
DICY:MEF	Condition	Conc. (μg/mL)	%RSD	Conc. (μg/mL)	%RSD	Conc. (µg/mL)	%RSD	Conc. (μg/mL)	%RSD			
	Volumetric Flas	k										
	10++	1.01	0.1414	23	0.2824	1.16	0.0673	24.6	0.202			
	50++	1.14	0.1571	25.5	0.1285	1.06	0.202	26.3	0.4714			
	100++	1.07	0.0074	25.5	0.1285	1.38	0.0565	24.6	0.202			
4.05	Analyst											
1:25	1#	1.2	0.0673	25.5	0.0902	1.21	0.0673	25.2	0.0902			
	2#	1.14	0.1414	25.25	0.1064	1.14	0.1414	25	0.1064			
	<b>UV-Vis Spectro</b>	photometer m	nodel									
	U.V 1800**	1.07	0.0744	24.5	0.1573	1.03	0.0744	24.6	0.202			
	U.V 2450**	1.00	0.1571	24.75	0.1398	1.00	0.1571	24.7	0.1398			

TABLE 7: SUMMARY OF VALIDATION PARAMETERS FOR PROPOSED METHOD

Parameters	Absorption cor	rection method	Differential de	rivative method
Parameters	Mefenamic acid	Dicyclomine HCl	Mefenamic acid	Dicyclomine HCl
Concentration range (μg/mL)	10-75	1-6	10-75	1-6
Regression equation	Y= 0.00024x-0.00038	Y= -0.00743x-0.00233	Y= 0.0003x-0.0004	Y= 0.0091x-0.0001
Correlation Coefficient(r <sup>2</sup> )	0.9982	0.9983	0.9990	0.9995
Accuracy(%Recovery)	99.05-100.07	99.54-100.74	100.12-102.3	100.15-101.51
Intraday precision(%RSD)	0.0368-0.1428	0.0234-0.6662	0.0002-0.0028	0.0002-0.0009
Interday precision(%RSD)	0.0455-0.2474	0.0063-0.1237	0.0002-0.0014	0.0003-0.0014
Ruggedness and Robustness	0.0902-0.2824	0.0074-0.1571	0.0902-0.4714	0.0565-0.1571
LOD(μg/mL)	0.0015	0.009	0.0015	0.0015
LOQ((µg/mL)	0.0046	3.281	0.0046	2.1295
% Assay	99-101.8	99-100.5	100.2-102.6	104.94-105

# 2. Simultaneous equation method:






FIG. 8: CALIBRATION CURVE OF MEF AND DICY

TABLE 8 : LINEARITY DATA FOR MEF AND DICY\* (n=6)

Sr. No	Concentration (DICY:MEF) (µg/mL)	Avg.abs. (218.40nm)±SD*	Avg.abs. (335 nm)±SD*
1	1:25	0.021±0.0016	0.453±0.0011
2	2:50	0.096±0.0124	0.966±0.0013
3	4:100	0.300±0.0021	2.219.±0.0035
4	6:150	0.478±0.0018	3.345±0.0027

TABLE 9: PRECISION (REPEATABILITY) \*(n=3)

	Dicyclomine HCl		Mefenamic Acid		
Conc. (µg/mL) (Dic: Mef)	Conc. (μg/mL) ± SD	%RSD	Conc. (μg/mL) ±SD	%RSD	
Intra Day				•	
2.0:50	1.99±0.00057	0.1877	50.12±0.00057	0.06133	
4.0 : 100	4.02±0.00264	0.0777	100.80±0.00251	0.13215	
6.0 : 150	5.99±0.002081	0.0559	150.85±0.003511	0.122993	
Inter Day					
2.0 : 50	1.993±0.00264	0.086	50.49±0.004725	0.4983	
4.0 : 100	4.0±0.00152	0.0449	100.98±0.00152	0.08007	
6.0 : 150	6.11±0.030512	0.8151	150.64±0.01050	0.36838	

#### **TABLE 10: ACCURACY**

formulation	(%API)	Amt. recovered	Dicyclomine HCl	Amt. recovered	Mefenamic Acid
(Meftal-spas)	Dic+Mef (μg/mL)	Conc. (µg/mL) ± SD	%Recovery	Conc. (μg/mL) ± SD	%Recovery
	(80) (3.6 +90)	3.59±0.00294	99.83	91.57±0.42857	101.7
02:50	(100) (4 + 100 )	4.011±0.00169	100.26	100.4±0.02749	100.4
	(120) (4.4 + 110 )	4.38±0.01619	99.77	109.8±0.07273	99.89

#### **TABLE 11: ASSAY**

Conc. (µg/mL) (Dic: Mef) (1:25)	Dicyclomine HCl	%Assay	Mefenamic Acid	%Assay
Meftal spas	2.04±0.007071	102	49.1±0.14142	98.2
Dysmen	2.08±0.007071	104	49.96±0.01414	99.92
Spasmonil plus	2.02±0.056569	101	50.97±0.01414	101.94

#### TABLE 11: LOD & LOQ

Parameter	DICY (μg/mL)	MEF (μg/mL)
LOD	0.01259	0.04143
LOQ	0.03823	0.1255

#### **TABLE 12: RUGGEDNESS & ROBUSTNES**

Conc. (µg/mL)	Change in	Dicyclomine HCl		Mefenamic Acid		
(DICY:MEF	Condition	Conc. (μg/mL) ± SD	%RSD	Conc. (μg/mL) ± SD	%RSD	
	Volumetric Flask					
	10	0.77±0.02121	0.7456	26.65±0.0007	0.1335	
	50	0.80±0.04171	0.4635	25.24±0.0008	0.1688	
	100	0.81±0.02474	0.8676	26.28±0.0021	0.4059	
1:25	Analyst					
1.25	1	0.81±0.01414	0.0503	0.53±000707	0.13354	
	2	2.85±0.00707	0.0248	0.51±0.00849	0.16888	
	UV-Vis Spectrophotometer model					
	U.V 1800	0.83±0.0077	0.2733	25.6±0.0063	0.1362	
	U.V 2450	0.81±0.0077	0.0247	26.1±0.0063	0.4091	

TABLE 13: SUMMARY OF VALIDATION PARAMETERS FOR PROPOSED METHOD

Parameters	Simultaneous equation method			
Parameters	Mefenamic acid	Dicyclomine HCl		
Concentration range (μg/mL)	25-150	1-6		
Regression equation	0.023x-0.157	0.093x-0.078		
Correlation Coefficient(r <sup>2</sup> )	0.999	0.998		
Accuracy(%Recovery)	99.89-101.7	99.77-100.26		
Intraday precision(%RSD)	0.0613-0.1321	0.0559-0.1877		
Interday precision(%RSD)	0.0800-0.4983	0.0449-0.8151		
Ruggedness and Robustness	0.1335-0.4091	0.0247-0.8676		

**CONCLUSION:** The developed method was novel, simple, accurate, precise reproducible, economical, which would be used to estimate MEF & DICY in their combined dosage form in routine analysis.

ACKNOWLEDGEMENTS: Authors are highly thankful to Shree Dhanvantary Pharmaceutical Analysis & Research Centre (kim, India) & Mercury labs Ltd. (Vadodara, India) for providing gift sample of MEF and DICY.

We acknowledge the Shree Dhanvantary Pharmacy College, Kim, for providing the facilities to complete the work.

#### REFERENCES:

- Drug profile, Mefenamic acid, http://www.drugs.com/ cdi/mefenamic acid.html.
- Drug profile, Mefenamic acid, Rxlist: http://www.Rxlist.com/ cgi/generic3/mefenamic acid.html.
- 3. Drug bank, Drug profile, Mefenamic Acid, http://drugbank.ca/drugs/DB00863.
- Drug profile, Dicyclomine HCl, http://www.drugs.com/cdi/ dicyclomine hydrochloride.html.
- Drug bank, Drug profile, Dicyclomine HCl, http://drugbank.ca/drugs/DB00863.
- Monograph of Dicyclomine Hydrochloride-Dicyclomine Hydrochloride tablet cardinal health and monograph of Mefenamic acid: 592.
- Kulkarni KS: Antispasmodics A New Perspective. Medical advisor, R&D center, The himalaya drug company, Makali, Bangalore, Jama India 2001; 4,8:119-121.
- The Indian practitioner: Mefenamic acid with Dicyclomine is a highly effective and well tolerated treatment for spasmodic dysmenorrheal, Medical advisor, Blue cross laboratories limited, Mumbai 1999, Nov; 52(11): 767.
- Page JG and Dirnberger GM: Treatment of the irritable bowel syndrome with Bently (Dicyclomine hydrochloride). Jun 1982, Vol. 3: 212.
- 10. Aventis pharmaceuticals: Bentyl (Dicyclomine HCl, USP) prescribing information, Bridgewater, nj. apr 2003.
- 11. The Indian Pharmacopoeia 2007, Government of India ministry of Health & family welfare; 2: 398.
- 12. The United State Pharmacopoeia XXIV. National formulary, XX, Rockville MD: The US Pharmaceutical Convention 2007.
- 13. British Pharmacopoeia 2009, The department of health, London: The Stationary Office 2008; 2: 1902-3741.
- 14. Wahab SU: Development of RP-HPLC method for the Simultaneous Determination of Mefenamic acid & Drotaverine HCl Combined Tablet Dosage Form. International journal of pharmaceutical sciences 2011; 3(1): 115-117.
- 15. Rouini MR, Asadipour A, Ardakani YH, Aghdasi F: Liquid Chromatography Method for Determination of Mefenamic acid in human. Journal of chromatography B 2004: 189–192.
- 16. Dinc. E, Cesoy. C: Simultaneous Spectrophotometric Determination of Mefenamic acid and Paracetamol in a Pharmaceutical Preparation Using Ratio Spectra Derivative Spectrophotometry and Chemometric Methods. Journal of pharmaceutical and biomedical analysis 2002; 28: 1091-1100.
- 17. Singh H, Kumar R: Simultaneous Estimation of Mefenamic acid and Ethamsylate in Tablets. International journal of pharmacy and pharmaceutical sciences 2011; 3.
- 18. Liu L, Song J: Voltammetric determination of Mefenamic acid at lanthanum hydroxide nanowires modified carbon paste electrodes, analytical biochemistry 2006; 354: 22–27.

19. Gilpin RK, Zhou W, Brehm: Infrared studies of the thermal conversion of Mefenamic acid between polymorphic states, vibrational spectroscopy 2005: 53–59.

ISSN: 0975-8232

- Dinc E, Cesoy C, Onur F: Simultaneous spectrophotometric determination of Mefenamic acid and Paracetamol in a pharmaceutical preparation using ratio spectra derivative spectrophotometry and chemometric methods. Journal of pharmaceutical and biomedical analysis 2002; 28: 1091-1100.
- 21. Singh H, Kumar RP: Development UV spectrophotometric method for estimation of Mefenamic acid in bulk and pharmaceutical dosage forms. International Journal of Pharmacy and Pharmaceutical Sciences 2011; 3(2).
- 22. Padmalatha H, Vidyasagar G: Validated RP HPLC Method for the Estimation of Mefenamic acid in Formulation. International Journal of Research in Pharmaceutical and Biomedical Sciences 2011; 2(3): 2229-3701.
- Kato F, Otsuka M: Kinetic study of the transformation of Mefenamic acid polymorphs in various solvents and under high humidity conditions. International Journal of pharmaceutics 321, 2006: 18–26.
- 24. Uyemura SA, Santos AC, Mingatto FE: Diclofenac Sodium and Mefenamic Acid: Potent Inducers of the membrane permeability transition in Renal Cortex Mitochondrial 1997; 342, no.2, June 15: 231–235.
- 25. Zommer-urbanska. S and Bojarowicz. H: Spectrophotometric investigations on protolytic equilibria of Mefenamic acid and determination by means of fe(iii) in methanol-aqueous media. Journal of Pharmaceutical & Biomedical Analysis 1986; 4: 415-481.
- Perezruiz TS, Lozano CM, and Tomas S: Analysis of binary mixtures of Flufenamic, Meclofenamic and Mefenamic acids by derivative synchronous fluorescence spectrometry; talanta 1998: 537-545.
- Mohite PB, Khanage SG, Bhaskar VH: Absorption Correction Method for estimation of Mefenamic acid and Tranexamic acid in Combined Tablet Dosage Form.
- 28. Beretta E and Vanazzi. G: Determination of nanogram amounts of Dicyclomine with gas chromatography and nitrogen-selective detection. Biomedical applications. Elsevier science publishers B.V. Journal of chromatography 1984; 384: 341-344.
- 29. Kumari S, Visht. S: Preparation and Evaluation of fast disintegrating tablets of Dicyclomine HCl. scholars research library 2010; 2(3): 342-351.
- Singh. HS, Tan. I: Stability-indicating capillary gas-liquid chromatographic assay of Dicyclomine hydrochloride in some pharmaceutical formulations. Journal of Chromatography 1989; 475: 381-389.
- 31. Keer AR, Havele SS: Application of High performance thin layer chromatography-densitometry for the determination of Dicyclomine HCL in bulk drug and injection formulation, Scholars Research Library, Der Pharma Chemica 2011; 3(1): 549-556.
- Karaka P, Kumar KA, Basu LR: Experimental analysis of antimicrobial action of Dicyclomine Hydrochloride, Biol. Pharm. Bull. 27(12): 2010-2013.
- 33. ICH guidelines, Validation of Analytical Procedure: Methodology Q2B; I.C.H. Harmonized Tripartite Guidelines.1996:1-13.

## How to cite this article:

Prajapati D and Hasumati Raj: Simultaneous Estimation of Mefenamic Acid and Dicyclomine Hydrochloride by Spectroscopic Methods. *Int J Pharm Sci Res* 2012; Vol. 3(10): 3766-3775.