#### **IJPSR** (2017), Volume 8, Issue 11

(Review Article)

E-ISSN: 0975-8232; P-ISSN: 2320-5148



# PHARMACEUTICAL SCIENCES



Received on 03 April, 2017; received in revised form, 02 June, 2017; accepted, 11 August, 2017; published 01 November, 2017

#### A REVIEW ON LAGERSTROEMIA SPECIOSA

Rajya Lakshmi Koduru\*, P. Srinivasa Babu, I. Vikram Varma, G. Girija Kalyani and P. Nirmala

Department of Pharmaceutical Chemistry, Vignan Pharmacy College, Vadlamudi, Guntur - 522213, Andhra Pradesh, India.

### **Keywords:**

Lagerstroemia speciosa, Crape myrtle, Lythraceae, Anti-diabetic, Essential metals

# Correspondence to Author: Dr. K. Rajya Lakshmi

Associate Professor, Department of Pharmaceutical Chemistry, Vignan Pharmacy College, Vadlamudi, Guntur -522213, Andhra Pradesh, India.

**E-mail:** drkrl3579@gmail.com

ABSTRACT: Lagerstroemia speciosa is commonly known as crape myrtle belonging to the Lythraceae family. Lagerstroemia speciosa or Banaba is a medicinal tree traditionally used to lower blood sugar in the body. Its high content of corosolic acid makes it an effective antidiabetic drug. Banaba is also recommended for kidney, bladder problems and hypertension. Leaves of the species have been traditionally used over thousands of years as folkloric treatment by the native Indians and Japanese for illness, ailments particularly for lowering blood sugar levels and weight loss. The flower extracts of the species has some pharmacological properties like antioxidant and antimicrobial activities, whereas fruit extracts reported anti-nociceptive, anti-diarrhea and cytotoxic activities. Research on leaf extracts reveals that anti-bacterial, anti-viral, anti-inflammatory, anti-obesity, antifibrotic, anti-diabetic and xanthine oxidase inhibition, diuretic, decongestant activities and roots are applied for treating mouth ulcers. In addition to that bark is used to relieve the abdominal pains. The species also has essential metals like sodium, potassium, iron, zinc and magnesium which were clinically proved. Thus these reviews will emphasis on the phyto-constituents and biological activities of the plant which will heal and cure mankind for healthy living.

**INTRODUCTION:** The family Lythraceae <sup>1</sup> consists of about 24 genera and nearly 500 species wide spread in the temperature regions. In India it is represented by 11 genera and about 45 species. This data shows that *Lagerstroemia speciosa* is spread all over the world. *Lagerstroemia speciosa* is belongs to the family Lythraceae. The genus *Lagerstroemia* was first described by Carlos Linnaeus.



**DOI:** 10.13040/IJPSR.0975-8232.8(11).4540-45

Article can be accessed online on: www.ijpsr.com

**DOI link:** http://dx.doi.org/10.13040/IJPSR.0975-8232.8 (11).4540-45

The name *Lagerstroemia* was recognized by Magnus von Lagerstroem a Swedish naturalist who provided specimens from the east for Linnaeus. Indians commonly called it as "Pride of India" and also called as Giant crape myrtle <sup>2</sup>, queens crape myrtle and banaba by Philippines. This tree is widely distributed in Philippines, India and Malaysia. Traditionally, leaves, bark and roots of Lagerstroemia Speciosa have been used in folk medicines and are remedy for various illness and ailments. Leaves have been used to treat diabetes mellitus<sup>3</sup> and serve as diuretic and decongestant. The red-orange leaves have high levels of corosolic acid that can reduce blood sugar. Its fresh leaves are also used as emergency tincture of wounds and sanitizing the surface of the skin.

Roots are used for treating mouth ulcers and bark is used as stimulant, relief of abdominal pains and febrifuge. Philippines consume the leaves of the *Lagerstroemia Speciosa* as herbal tea for lowering blood sugar level and reducing body weight. Because of its "insulin like principle" is used as a remedy for diabetes. Recently, Glucosol<sup>TM</sup> and Banabamin herbal products have been developed from *Lagerstroemia Speciosa* as an anti-diabetic drug.

**Chemical Constituents:** The chemical constituents <sup>5</sup> of *Lagerstroemia Speciosa* include corosoli acid <sup>6</sup>,

lageracetal, amyl alcohol, ellagic acid, gallic acid, 4- hydroxyl benzoic acid, beta sitosterol, 3,3,4-tri-O-methl ellagic acid, 3-O-methyl-3,4-methylene-dioxy ellagic acid, Asiatic acid, alphitolic acid, 3,3<sup>1</sup> –di-O- methyl ellagic acid, 3,4,3<sup>1</sup>,4<sup>1</sup>- tetra-O-methyl flavellagic acid, 3<sup>1</sup>, 4<sup>1</sup>-di-O-methl-3,4-metheledioxy flavellagic acid, 3-O-methyl ellagic acid, 6,7-dihydroxy coumarin, alanine, isoleucine, alpha amino butyric acid, ellagitannin <sup>7</sup> and methionine. This species also consists of metals like Iron, Magnesium, and Zinc <sup>4</sup>.

#### **Structures:**

## ELLAGITANNIN

#### **Pharmacological Properties:**

Anti Diabetic Activity and Hypoglycemic Activity: Custer <sup>8</sup> C. Deocaris *et al.*, 2005 performed hypoglycemic activity of irradiated 80% ethanol extract of banaba leaves was tested on alloxan treated diabetic mice and they found significant decline in blood glucose levels within 1.5 hours.

William <sup>9</sup> V. Judy *et al.*, 2003 screened anti diabetic activity of 80% w/w aqueous ethanol leaf

extract from *Lagerstroemia speciosa* standardized to 1% corosolic acid (Glucosol<sup>TM</sup>). It has been demonstrated in a randomized clinical trial involving Type II diabetics and found that Glucosol<sup>TM</sup> in a soft gel capsule formulation showed a 30% decrease in blood glucose levels compared to a 20% reduction seen with dry powder filed hard gelatin capsule formulation, suggesting that the soft gel formulation has a better bioavailability than a dry powder formulation.

E-ISSN: 0975-8232; P-ISSN: 2320-5148

Amornnat Thuppia <sup>10</sup> *et al.*, 2009 evaluated the hypoglycemic effect of water extract from leaves of *Lagerstroemia speciosa* in normal and streptozotocin (STZ) induced diabetic rats and found that water extract of leaves of *Lagerstroemia speciosa* can reduce fasting blood glucose of STZ induced diabetic rats.

Barun <sup>11</sup> Kanti Saha *et al.*, 2009 studied the hypoglycemic effect of hot water extract of *Lagerstroemia speciosa* of leaves on chemically induced diabetes in rats. These studies thus strongly suggest that the hot water extract of *Lagerstroemia speciosa* attributed its prominent hypoglycemic activity on experimental diabetic rats through suppression of gluconeogenesis and stimulation of glucose oxidation using the pentose phosphate pathway.

**Anti - Obesity Activity:** Yuko <sup>1, 3, 12</sup> Suzuki *et al.*, 1999 studied the anti-obesity of 5% hot water extract from banaba leaves and results suggest that banaba had a beneficial effect on obese female KK-A<sup>Y</sup> mice.

**Antiviral Activity:** Nutan <sup>13</sup> *et al.*, 2013 screened anti-HIV activity of aqueous and 50% ethanol extracts of leaves and stems of banaba by *in vivo* reporter gene based assays and found the novel anti-HIV activity of banaba because of presence of Gallic acid and ellagic acid through the inhibition of reverse transcriptase and HIV protease.

Choi <sup>3</sup> HJ, *et al.*, 2010 tested for anti-human rhinoviruses (HRV) activity in HeLa cells, orobol 7-O-D-glucoside (O7G) isolated from *Lagerstroemia speciosa* leaves which showed broad-spectrum anti-HRV activity towards HRV of groups A and B.

**Cytotoxic Activity:** Fatema <sup>14</sup> Nasrin *et al.*, 2012 performed evaluation of cytotoxic activity of methanol extract of *Lagerstroemia Speciosa* leaves and barks by brain shrimp lethality bioassay method. They found the considerable cytotoxic potency with methanol extract of leaves of *L. Speciosa*.

**Antibacterial Activity:** LMV Laruan <sup>15</sup> *et al.*, 2013 studied phytochemical and antibacterial study of methanol extract of *Lagerstroemia speciosa* (L.) Pers. by a modified method of Kirby-Bauer

technique. They found that the extract exhibited high anti bacterial activity against *E. coli*, *Staphylococcus areus* and *Pseudomonas aeruginosa*.

Anti-inflammatory Activity: Priya <sup>16</sup> TT *et al.*, 2008 worked on the anti- inflammatory activity of ethyl acetate and ethanol leaf extract of *Lagerstroemia Speciosa*. It had been examined using the carrageenan-induced acute inflammation and formalin-induced chronic paw oedema assays. Ethyl acetate extracts significantly reduced inflammation in a dose dependent manner, which was not observed with ethanol extract for both the acute and chronic inflammatory models.

Anti nociceptive Activity: Ahosan Morshed <sup>17</sup>, et al., 2010 screened antinociceptive activity of chloroform extract of bark of *Lagerstroemia* speciosa, using an acetic acid-induced gastric pain model in Swiss albino mice. They observed that *L. Speciosa* have potent antinociceptive activity.

Antimicrobial Activity: Asish Bhaumik <sup>18</sup>, et al., 2014 studied the bioactive compounds of methanol, ethanol and chloroform extract of fruit of Lagerstroemia speciosa by agar well diffusion method using bacterial cultures, Staphylococcus auerus, Bacillus subtillus, Pseudomonas aeruginosa, Escherichia coli and fungal cultures Asperilgillus niger, Asperigillus flavus, Candida albicans. They found that all the extracts exhibited moderate to good anti-microbial activity against the test microorganisms.

Pavithra <sup>19</sup> G. M., *et al.*, 2013 studied antimicrobial activity of methanol extract of flower of *Lagerstroemia speciosa*, using agar well diffusion method and found that extract was effective in inhibiting all test micro organisms (5 isolates of Streptococcus, 5 isolates of *Staphylococcus aureus*, *Candida albicans* and *Cryptococcus neoformans*).

**Xanthine Oxidase Inhibition:** Unno <sup>3, 20</sup> T *et al.*, 2004 studied Xanthine oxidase on aqueous leaf extract of *Lagerstroemia speciosa* and found that extract having the inhibitory activity on Xanthine oxidase, suggesting its potential in preventing and treating hyperuricemia.

Anti-fibriotic activity: Prabhu <sup>3, 21</sup> VV, et al., 2010 screened the effect of ethanol leaf extract of *Lagerstroemia speciosa* on male albino wistar rats

E-ISSN: 0975-8232; P-ISSN: 2320-5148

with liver fibrosis induced by carbon tetra chloride (CCl<sub>4</sub>) and confirmed the potent anti-fibriotic effect<sup>13</sup>.

**Anti-oxidant Activity:** Fatema <sup>14</sup> Nasrin *et al.*, 2012 studied the anti-oxidant activity of methanolic extract of *Lagerstroemia* leaves and barks for their antioxidant activity and found significant antioxidant activity.

Syed Junaid <sup>22</sup> et al., 2013 screened anti-oxidant activity of methanol extract of dried seeds of *Lagerstroemia speciosa* and found a marked anti-oxidant activity of dried seed extract.

Pavithra <sup>23</sup> G.M, *et al.*, 2013 studied antioxidant activity of methanol extract of flowers of *Lagerstroemia speciosa* by employing DPPH radical scavenging assay and observed considerable anti-oxidant activity of flower extracts.

Saumya <sup>24</sup> S M, *et al.*, 2011 studied antioxidant activity of aqueous leaf extract of banaba extract by TEAC assay, superoxide, hydroxyl, hydrogen peroxide and nitric oxide radical scavenging activities and found potential antioxidant activity.

**Pharmacognostic Study:** Woratouch Thitikornpong <sup>25</sup> *et al.*, 2011 studied the Pharmacognostic evaluation of leaves of *Lagerstroemia speciosa* and provided the important information for the correct identification and herbal standardization of *Lagerstroemia speciosa* leaves.

Vijayaraghavulu <sup>26</sup> sai saraswathi *et al.*, 2011 studied the Pharmacognostic and preliminary Phytochemical study of *Lagerstroemia speciosa* leaves

Caligiani <sup>2</sup> et al., 2013 worked on a simple GC-MS method for the screening of betulinic, corosolic, maslinic, oleanolic and urosolic acid contents in commercial botanicals used as food supplement ingredients. They found that only *Lagerstroemia speciosa* was rich in maslinic acid.

**CONCLUSION:** Lagerstroemia speciosa is one of the wide spread species and has been used traditionally in folk medicine. Studies done on Lagerstroemia speciosa in the past 15 years revealed that, it is a natural plant insulin that has no side effects and more than 40 phytoconstituents

like glycosides, flavones, ellagic acids, triterpenes and tannins are present in leaves, stem, flowers, fruit, bark and roots. Finally, concluding that the whole banaba tree from root to leaves and flower had a glucose lowering effect and could be used to fight against diabetes, obesity, kidney diseases, hypertension and others. Further research is needed to isolate new active principles and to screen pharmacological activities of the phytoconstituents.

**ACKNOWLEDGEMENT:** The author conveys deep sense of gratitude to the management of Vignan Pharmacy College for their continuous support and inspiration.

**CONFLICT OF INTEREST:** We declare that, there is no conflict of interest regarding the publication of this paper.

#### **REFERENCES:**

- Pal M, Thareja D and Majee C: Lagerstroemia species: A Review, International Journal of Pharmacy 2016; 6(1): 95-98
- 2. Kotnala M, Chakraborthy GS and Mazumder A: *Lagerstroemia speciosa*: A current review, International journal of Pharm Tech Research 2013; 5(3): 906-909.
- 3. Chan EWC, Tan LN and Wong SK: Phytochemistry and Pharmacology of *Lagerstroemia speciosa*: A Natural Remedy for Diabetes, International Journal of Herbal Medicine 2014; 2(2): 100-105.
- Saraswathi VS, Tirumalai D, Malipeddi H, Saranya M and Yadav PK: Detection of metals present in leaves of Lagerstroemia speciosa. International Journal of Pharmacy and Pharmaceutical Sciences 2011; 3(4): 297-298.
- Guang-Hui H, Qin Z, Jun-Li L, Cheng C, Dou-Dou H, Wan-Sheng C and Lian-Na S: Chemical constituents from leaves of *Lagerstroemia speciosa* L, Biochemical systematics and ecology 2013; 51: 109-112.
- Katta VK, Papolu BM, Sukla K, Syamsundar B and Gottimuukkala VS: Quantitative determination of corosolic acid in *Lagerstroemia speciosa* leaves, extracts and dosage forms International journal of applied science and engineering 2006; 4(2): 103-114.
- Guy K, Jaekyung K, Klaus H, Yanyan C and Xiaozhuo C: Antidiabetes and anti-obesity activity of *Lagerstroemia speciosa* eC A M 2007; 4(4): 401-407.
- 8. Custer CD, Ranelle RA, Josephine LDY, Amelia SA and Elmer-Rico EM: Hypoglycemic acyivity of irradiated Banaba (*Lagerstroemia speciosa* Linn.) Leaves, Journal of Applied Science Research 2005; 1(1): 95-98.
- William VJ, Siva PH, Stogsdill WW, Judy JS, Yousry MAN and Richard P: Antidiabetic activity of a standardized extract (Glucosol<sup>TM</sup>) from *Lagerstroemia* speciosa leaves in Type II diabetics a dose-dependent study, Journal of ethanopharmacology 2003; 87: 115-117.
- Amornnat T, Pornrut R, Suphaket S, Kornkanok I and Seewaboon S: The Hypoglycemic effect of water extract from leaves of *Lagerstroemia speciosa* L. In streptozotocin-induced diabetic rats, Songaklanakarin Journal of Science and technology 2009; 31(2): 133-137.

E-ISSN: 0975-8232; P-ISSN: 2320-5148

- Saha BK, Md. Nurul HB, Mazumder K and Formuzul Haque KM: Hypoglycemic activity of *Lagerstroemia* speciosa L. extract on streptozotocin-induced diabetic rat: Underlying mechanism of action, Bangladesh Journal Pharmacology 2009; 4: 79-83.
- Suzuki Y, Unno T, Ushitani M, Hayashi K and Kakuda T: Antiobesity activity of extracts from *Lagerstroemia speciosa* L. leaves on female KK-AY mice. Journal of Nutritional Science and Vitaminology 1999; 45: 791-795.
- Suri S, Rawat AKS, Srivastava SK, Tuli R, Malhotra S and Gupta SK: Ellagic acid and gallic acid from *Lagerstroemia* speciosa L. inhibit HIV-1 infection through inhibition of HIV-1 protease and reverse transcriptase activity, Indian journal medical research 2013; 137(3): 540-548.
- Fatema N, Ahmad S, Kamrunnahar: Evaluation of antimicrobial, antioxidant and cytotoxic activities of Methanolic extracts of *Lagerstroemia speciosa* leaves and barks, Journal of applied pharmaceutical sciences 2012; 2(10): 142-147.
- Laruan LMV, Teodora B, Kryssa B, Meiba P, Orlando A, Jayjay M, Sonny C and Vilma V: Phytochemical and antibacterial study of *Lagerstroemia speciosa* (L.) Pers. and its ethnomedicinal importance to indigenous communities of benguuet province, Philippines, Indian Journal of Traditional Knowledge 2013; 12(3): 379-383.
- Priya TT, Sabu MC and Jolly CI: Free radical scavenging and anti-inflammatory properties of *Lagerstroemia* speciosa (L). Inflammatory pharmacology 2008; 16: 182-187
- 17. Morshed A, Md. Hasibul H, Shakil S, Nahar K, Rahman S, Ferdaudsi D, Hossain T, Ahmad I, Chowdhury MH and Rahmatullah M: Evalution of Antinociceptive activity of two Bangladeshi medicinal plants, Kalanchoe pinnata (Lam.) Pers. and *Lagerstroemia speciosa* (L.) Pers. American Eurasian Network of scientific information 2010; 4(2): 193-197.
- Bhaumik A, Ramu B, Rahman F, Basheer S and Mastanaiah J: The bioactive compounds of fruit of Lagerstroemia speciosa L. act as potential anti-microbial agent, international journal of pharma research and health sciences 2014; 2(6):176-180.

- 19. Pavithra GM, Rakesh KN, Dileep N, Junaid S, Ramesh Kumar KA and Prashit Kekuda TR: Elemental analysis, antimicrobial and radical scavenging activity of *Lagerstroemia speciosa* (L.) flower, journal of chemical and pharmaceutical research 2013; 5(6): 215-222
- Unno T, Sakane I and Kakuda T: Inhibition of xanthine oxidase by an aqueous extract of banaba leaves (*Lagerstroemia speciosa*). Journal of the Japanese Society for food science and Technology 2000; 47: 740-743.
- Prabhu VV, Chidambaranathan N, Nalini G, Venkataraman S, Jayaprakash S and Nagarajan M: Evaluation of Anti Fibrotic Effect of Lagerstroemia spesiosa (L) Pers on Carbon Tetrachloride induced liver fibrosis. Current Pharmaceutical Research 2010; 1(1): 7-12
- Syed J, Rakesh KN, Dileep N, Poornima G, Prashith Kekuda TR and Mukunda S: Total phenolic content and antioxidant activity of seed extract of *Lagerstroemia* speciosa L. Chemical science transactions 2013; 2(1): 75-80
- Pavitra GM, Siddiqua S, Abhishiktha SN, Prashit KTR and Vinayaka KS: Antioxidant and antimicrobial activity of flowers Wendlandia thyrosoidea, Olea dioica, Lagerstroemia speciosa and Bombax malabaricum. Journal of Applied Pharmaceutical Scinces 2013; 3(6): 114-120.
- 24. Saumya SM and Mahaboob B: In vitro evalution of free radical scavenging activity of panax of ginseng and Lagerstroemia speciosa: A comparative analysis, international journal of Pharmacy and Pharmaceutical sciences 2011; 3(1): 165-169.
- 25. Woratouch T, Phadungcharoen T and Sukrong S: Pharmacognostic evaluations of *Lagerstroemia speciosa* leaves Journal of medicinal plants research 2011; 5(8): 1330-1337.
- Saraswathi VS, Thirumalai D, Yadav PK and Muniswamy
  Pharmacognostic and preliminary Phytochemical study
  f *Lagerstroemia speciosa* leaves International journal of research in Ayurveda and Pharmacy 2011; 2(3): 893-893.

#### How to cite this article:

Koduru RL, Babu PS, Varma IV, Kalyani GG and Nirmala P: A review on *Lagerstroemia speciosa*. Int J Pharm Sci Res 2017; 8(11): 4540-45.doi: 10.13040/JJPSR.0975-8232.8(11).4540-45.

All © 2013 are reserved by International Journal of Pharmaceutical Sciences and Research. This Journal licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License,

This article can be downloaded to **ANDROID OS** based mobile. Scan QR Code using Code/Bar Scanner from your mobile. (Scanners are available on Google Playstore)