



Received on 05 February 2021; received in revised form, 04 July 2021; accepted, 11 July 2021; published 01 February 2022

## A REVIEW ON TRADITIONAL MEDICINAL PLANTS USED AGAINST COMMON NEURO-MUSCULO-SKELETAL DISORDERS IN KARNATAKA STATE, INDIA.

A Yogeesha and Krishna G. Kumar \*

Department of Applied Botany, Mangalore University, Mangalagangothri - 574199, Karnataka, India.

### Keywords:

Ethnomedicine, Karnataka, Neuro-musculoskeletal disorders

### Correspondence to Author:

**Dr. G. Krishnakumar**

Professor,  
Department of Applied Botany,  
Mangalore University,  
Mangalagangothri - 574199,  
Karnataka, India.

**E-mail:** kkgtaxo13@gmail.com

**ABSTRACT:** Karnataka is a southern state of India with richer diversity of plants and nearly 20% of its land area occupied by forest. Geographically Karnataka state is divided into three major zones, Western Ghats (Sahyadri), Coastal region and the Eastern plains which harbor a diversity of medicinal plants that have been used in traditional medicine by tribes and various ethnic groups for their primary health care systems. Effective herbal folk therapy is a challenge as it requires the knowledge of plants, method of collection, mode of preparation, dosage and many other aspects of treatment. Traditional uses of medicinal plants for neuro-musculo-skeletal disorders in Karnataka specifically have not been reviewed. This review presents the ethnomedicinal plants used for the treatment of common neuro-musculo-skeletal disorders such as arthritis, rheumatism, epilepsy, lumbago, paralysis, sprain, migraine, insomnia, depression, bone fracture, psychosis, anxiety, schizophrenia, bipolar disorder and neural disorders by various ethnic communities of Karnataka. A total 327 species of plants belonging to 93 families have been reviewed and compiled. 325 of them belong to Angiosperms, one Gymnosperm and one Pteridophyte.

**INTRODUCTION:** Plants have been used to cure variety of human ailments from ancient period. The World Health Organization (WHO) estimates that majority of the population in developing countries depend on folk medicines for their primary health care needs <sup>1, 2, 3, 4</sup>. India is one of the 12 mega-diversity countries of the world due to its species richness. The various tribal and ethnic communities have developed the knowledge and technique of using plants for their basic needs including food and medicine <sup>5, 6, 7, 8</sup>.

Traditional knowledge of using medicinal plants have passed on from elderly people to the ne from elders to the younger generation by oral tradition without any written documents <sup>9, 10</sup>. Herbal traditional medicine is considered as a boon for rural and tribal people in order to maintain good health as it is most effective, reliable and have least side-effects <sup>11, 12</sup> and <sup>13</sup>.

Global warming and anthropogenic activities could lead to severe threat to biodiversity of a region. Modern developmental activities and over exploitation of natural resources ultimately causes extinction of certain plant species from their natural habitats <sup>14</sup>. There are re from older ports of intensive ethno-botanical documentation of medicinal plants conducted in different parts of India namely Tamil Nadu <sup>15, 27</sup>, Himachal Pradesh <sup>28, 29</sup>, Andhra Pradesh <sup>30</sup>, Madhya Pradesh <sup>31, 32, 33</sup>,

<p><b>QUICK RESPONSE CODE</b></p> 	<p><b>DOI:</b> 10.13040/IJPSR.0975-8232.13(2).493-09</p> <hr/> <p>This article can be accessed online on <a href="http://www.ijpsr.com">www.ijpsr.com</a></p> <hr/> <p>DOI link: <a href="http://dx.doi.org/10.13040/IJPSR.0975-8232.13(2).493-09">http://dx.doi.org/10.13040/IJPSR.0975-8232.13(2).493-09</a></p>
---	--

<sup>34</sup>, Haryana <sup>35</sup>, Kerala <sup>36, 43</sup>, Maharashtra <sup>44, 45, 46</sup>, Arunachal Pradesh <sup>47, 48</sup>, Punjab <sup>49</sup>, Uttara Pradesh <sup>50</sup>, Uttarakhand <sup>51, 52, 53</sup>, Jharkhand <sup>54</sup>, Gujarat <sup>55</sup>, Manipur <sup>56</sup>, Tripura <sup>57</sup>, West Bengal <sup>58</sup>. In recent years, the traditional medicinal knowledge is under serious threat due to lack of interest shown by younger generation mainly because of the easy availability of modern medical facilities even in the remote areas. Ethnic drugs have become the source for new formulations in modern medicinal systems. Documentation of medicinal plants is an urgent requirement to preserve the traditional knowledge and all other available information used by various tribes and ethnic communities for different purposes before it is completely lost <sup>59, 60, 61, 61, 62, 63, 64</sup>. Review of literature has been carried out for specific disorders in different regions of India which have brought an assemblage of traditional knowledge and have often provided the platform for pharmacological validation <sup>65, 66, 67, 68, 69, 70, 71, 72</sup>. Traditional medicine is practiced based on beliefs and experiences mainly by rural people in the maintenance of physical and mental wellness. The various nutraceuticals present in plants develop natural immunity against diseases if taken in certain drug formulation <sup>73</sup>. This review will focus on ethno-medicinal plants used against neuro-

Musculo-skeletal disorders such as rheumatism, joint pain, arthritis, sprain, muscular cramps, epilepsy, paralysis, lumbago, bone fracture, migraine, anxiety, neuralgia, depression, bipolar disorder, schizophrenia, psychosis and neural disorders. This is an attempt to bring together the plants used for neuro-musculo-skeletal disorders in Karnataka State and analyzing them statistically there by provide a platform for further research and novel drug discovery.

**MATERIALS AND METHODS:** This review of traditional medicinal plants used by various ethnic communities of Karnataka state for neuro-musculo-skeletal disorders are compiled from published research articles, thesis, reports and the literature available in different electronic databases (Web of Science, Science Direct, Scopus and Google Scholar). The plant species are arranged alphabetically with their family name, parts used and their ethno-medicinal uses against neuro-musculo-skeletal disorders and is presented in **Table 1**. The scientific names of ethno medicinal plants have been updated using recent literature sources <sup>74, 75, 76</sup>. Compiled data is then analyzed as per established standards of ethno-botanical studies <sup>77, 78, 79</sup> and <sup>80</sup>.

**TABLE 1: LIST OF ETHNOMEDICINAL PLANTS USED FOR THE TREATMENT OF NEURO-MUSCULO-SKELETAL DISORDERS IN KARNATAKA**

S. no.	Scientific Name	Family	Parts Used	Ethnomedicinal uses
1	<i>Abrus precatorius</i> L. Moench,	Malvaceae	Seed	Nervous debility <sup>80</sup> , Rheumatism <sup>81</sup>
2	<i>Abrus precatorius</i> L.,	Fabaceae	Leaf, Root, Seed	Paralysis <sup>82, 83</sup> , Bone Fracture <sup>84</sup> , Joint Pain <sup>83</sup> , Mental stress <sup>85</sup>
3	<i>Abutilon indicum</i> (L.) Sweet.	Malvaceae	Whole Plant, Leaf, Root	Bone Fracture <sup>86</sup> , Lumbago <sup>80</sup> , Sprain <sup>87</sup>
4	<i>Acacia catechu</i> (L.f.)	Willd.Fabaceae	Bark, Leaf, Gum	Musculo-Skeletal disorders <sup>88</sup>
5	<i>Acacia leucophloea</i> (Roxb.) Willd.	Fabaceae	Bark	Arthritis <sup>89</sup>
6	<i>Acanthus ilicifolius</i> L.	Acanthaceae	Leaf	Rheumatism <sup>90</sup>
7	<i>Achyranthes aspera</i> L.	Amaranthaceae	Whole plant, Leaf	Bone Fracture <sup>86</sup> , Arthritis <sup>91, 92</sup>
8	<i>Acmella paniculata</i> (Wall.ex DC.)	Asteraceae	Flower, Root	Paralysis <sup>89</sup>
9	<i>Acorus calamus</i> L.	Acoraceae	Whole plant, Rhizome	Epilepsy <sup>93</sup> , Mental problems <sup>93</sup> , Psychosis <sup>93</sup> , Dissociative disorder <sup>85</sup>
10	<i>Actinodaphne hookeri</i> Meisner.	Lauraceae	Leaf	Arthritis <sup>92</sup>
11	<i>Aegle marmelos</i> (L.)	CorreaRutaceae	Fruit	Mental health <sup>86</sup>
12	<i>Albizia adianthifolia</i> (Schum.) W.	WightFabaceae	Root	Alzheimer's disease <sup>94</sup>
13	<i>Allium sativum</i> L.	Amaryllidaceae	Leaf (Bulb), Stem	Rheumatism <sup>81</sup> , Migraine <sup>95</sup> , Paralysis <sup>96</sup>
14	<i>Allophylus cobbe</i> (L.) Raeusch.	Sapindaceae	Leaf	Rheumatism <sup>80</sup>
15	<i>Aloe vera</i> (L.) Burm.f.	Xanthorrhoeaceae	Leaf	Bone Fracture <sup>81</sup> , Insomnia <sup>80</sup> , Memory <sup>97</sup> , Sprain <sup>98</sup>
16	<i>Alpinia galanga</i> (L.) Willd.	Zingiberaceae	Rhizome	Rheumatism <sup>80</sup>
17	<i>Alpinia malaccensis</i> (Burm f.) Roscoe.	Zingiberaceae	Rhizome	Arthritis <sup>89</sup>
18	<i>Alstonia scholaris</i> (L.) R. Br.	Apocyanaceae	Latex	Rheumatism <sup>89</sup>

19	<i>Alternanthera sessilis</i> (L.) R. Br. ex Dc.	Amaranthaceae	Whole plant	Migraine <sup>99</sup> , Mental health <sup>93</sup>
20	<i>Amorphophallus bulbifer</i> (Roxb.)	Blume.raceae	Stem (Corm)	Neuralgia <sup>80</sup> , Bone Fracture <sup>80</sup>
21	<i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson.	Araceae	Stem (Corm)	Bone Fracture <sup>84</sup>
22	<i>Andrographis paniculata</i> (Burm.f.) Wall.	ex NeesAcanthaceae	Whole plant, Leaf	Joint pain <sup>98</sup> , Lumbago <sup>100</sup>
23	<i>Anisomeles malabarica</i> (L.) R.Br.ex Sims.	Lamiaceae	Leaf	Arthritis <sup>95</sup>
24	<i>Annona reticulata</i> L.	Annonaceae	Fruit	Schizophrenia <sup>85</sup>
25	<i>Annona squamosa</i> L.	Annonaceae	Fruit	Depression <sup>85</sup>
26	<i>Antidesma acidum</i> Retz.	Phyllanthaceae	Bark	Bone Fracture <sup>84</sup> , Arthritis <sup>92</sup>
27	<i>Antidesma montanum</i> Blume.	Phyllanthaceae	Leaf	Bone Fracture <sup>80, 81</sup>
28	<i>Aphanamixis polystachya</i> (Wall.) R.	Parker Meliaceae	Seed	Rheumatism and Muscular pain <sup>80</sup>
29	<i>Areca catechu</i> L.	Arecaceae	Fruit	Neural disorders <sup>93</sup>
30	<i>Argyreia cuneata</i> (Willd.) Ker.	Convolvulaceae	Leaf	Rheumatism <sup>101</sup>
31	<i>Aristolochia indica</i> L.	Aristolochiaceae	Leaf, Root	Epilepsy <sup>102</sup> , Migraine <sup>87</sup> , Lumbago <sup>100</sup>
32	<i>Artocarpus heterophyllus</i> Lam.	Moraceae	Leaf	Rheumatism <sup>80</sup>
33	<i>Artocarpus hirsutus</i> Lam.	Moraceae	Bark, Seed	Arthritis <sup>92, 99</sup>
34	<i>Asclepias curassavica</i> L.	Apocyanaceae	Whole plant	Epilepsy and Mental problems <sup>89</sup>
35	<i>Asparagus racemosus</i> Willd.	Asparagaceae	Whole plant, Root (Tuber), Ste m	Epilepsy <sup>93</sup> , Rheumatism <sup>81, 83</sup> , Bone Fracture <sup>84</sup> , Paralysis <sup>103, 104</sup>
36	<i>Asystasia gangetica</i> (L.) T. Anders.	Acanthaceae	Whole plant	Rheumatism <sup>80, 89</sup>
37	<i>Atalantia monophylla</i> DC.	Rutaceae	Fruit	Paralysis & Rheumatism <sup>80</sup>
38	<i>Averrhoa carambola</i> L.	Oxalidaceae	Fruit	Rheumatism <sup>80</sup>
39	<i>Avicennia marina</i> (Forssk.) Vierh.	Acanthaceae	Leaf	Rheumatism and Joint pain <sup>90</sup>
40	<i>Azadirachta indica</i> A.	Juss. Meliaceae	Bark, Seed, Leaf	Bone Fracture <sup>82, 105</sup> , Rheumatism <sup>81</sup> , Joint Pain <sup>106</sup> , Paralysis <sup>107</sup>
41	<i>Baccharoides anthelmintica</i> (L.) Moench.	Asteraceae	Fruit	Arthritis <sup>99</sup>
42	<i>Bacopa monnieri</i> (L.) Wettst.	Plantaginaceae	Whole plant, Leaf	Epilepsy <sup>82, 93</sup> , Schizophrenia and Dissociative disorder <sup>85</sup>
43	<i>Baliospermum solanifolium</i> (Burm.) Suresh.	Euphorbiaceae	Root	Bone fracture <sup>84</sup>
44	<i>Barringtonia racemosa</i> (L.) Spreng.	Lecythidaceae	Fruit	Insomnia <sup>100</sup>
45	<i>Basella alba</i> L.	Basellaceae	Leaf	Anxiety <sup>85</sup> , Insomnia <sup>80</sup>
46	<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Fruit, Seed	Bipolar disorder <sup>85</sup>
47	<i>Biophytum sensitivum</i> (L.) DC.	Oxalidaceae	Whole Plant, Leaf, Root	Epilepsy <sup>82, 89</sup> , Muscular cramps <sup>89</sup> , Bone Fracture <sup>108</sup>
48	<i>Bixa orellana</i> L.	Bixaceae	Flower	Vata <sup>89</sup>
49	<i>Blepharis integrifolia</i> (L.f.) E.Mey. & Drege ex Schinz.	Acanthaceae	Whole plant, Leaf	Bone fracture <sup>84, 109</sup>
50	<i>Blepharis maderaspatensis</i> (L.) B.Heyne ex Roth.	Acanthaceae	Whole plant, Leaf, Seed	Nervous disorders <sup>89</sup> , Bone Fracture <sup>86, 106, 108</sup>
51	<i>Blumea lanceolaria</i> (Roxb.)	Druce Asteraceae	Leaf	Arthritis <sup>92</sup>
52	<i>Boerhavia diffusa</i> L.	Nyctaginaceae	Stem	Rheumatism <sup>81</sup>
53	<i>Brassica nigra</i> (L.) K.Koch.	Brassicaceae	Seed	Paralysis <sup>106</sup>
54	<i>Brassica oleracea</i> L.	Brassicaceae	Leaf	Insomnia <sup>85</sup>
55	<i>Breynia retusa</i> (Dennst.)	Alston Phyllanthaceae	Bark	Nervous disorders <sup>89</sup>
56	<i>Bridelia retusa</i> A.	Juss Phyllanthaceae	Fruit, Leaf, Stem	Arthritis <sup>92</sup>
57	<i>Bridelia stipularis</i> (L.) Blume.	Phyllanthaceae	Bark	Bone Fracture <sup>84</sup>
58	<i>Butea monosperma</i> (Lam.) Taub.	Fabaceae	Bark, Flower	Bone Fracture <sup>81, 108</sup> , Arthritis <sup>80, 92</sup> , Sprain <sup>110</sup>
59	<i>Cadaba fruticosa</i> (L.) Druce.	Capparaceae	Bark, Leaf	Bone Fracture <sup>86, 105</sup>
60	<i>Caesalpinia mimosoides</i> Lam.	Fabaceae	Bark, Root	Arthritis <sup>99</sup> , Rheumatism <sup>81</sup>
61	<i>Cajanus sericeus</i> (Baker) Maesen.	Fabaceae	Seed	Mental disorders <sup>102</sup>

62	<i>Callicarpa tomentosa</i> (L.) L.	Lamiaceae	Flower	Neural disorders <sup>93</sup>
63	<i>Calophyllum apetalum</i> Willd.	Calophyllaceae	Seed	Rheumatism <sup>80</sup>
64	<i>Calophyllum inophyllum</i> L.	Calophyllaceae	Seed	Rheumatism <sup>80, 81</sup>
65	<i>Calotropis gigantea</i> (L.) Dryand.	Apocyanaceae	Flower, Leaf, Root, Stem, Latex	Rheumatism <sup>80, 81</sup> , Lumbago <sup>80</sup> , Arthritis <sup>92</sup> , Paralysis <sup>106</sup> , Nervous disorders <sup>89</sup> , Migraine <sup>111</sup> , Epilepsy <sup>89</sup>
66	<i>Calotropis procera</i> (Aiton.) Dryand.		Latex, Leaf	Bone Fracture <sup>84</sup> , Rheumatism <sup>110</sup> , Muscle Pain <sup>108</sup> , Joint Pain <sup>98</sup>
67	<i>Canavalia rosea</i> (Sw.) DC.	Fabaceae	Root	Rheumatism <sup>112</sup>
68	<i>Cardiospermum halicacabum</i> L.	Sapindaceae	Whole plant, Root	Neural disorders <sup>80, 93</sup> , Rheumatism <sup>80, 81</sup>
69	<i>Careya arborea</i> Roxb.	Lecythidaceae	Bark, Root	Arthritis <sup>92</sup> , Vata <sup>113</sup>
70	<i>Carica papaya</i> L.	Caricaceae	Fruit	Bone Fracture <sup>84</sup>
71	<i>Cascabela thevetia</i> (L.)	Lippold	Bark	Insomnia <sup>85</sup>
72	<i>Casearia tomentosa</i> Roxb.	Salicaceae	Leaf	Bone Fracture <sup>84, 100</sup> , Lumbago <sup>100</sup>
73	<i>Cassia fistula</i> L.	Fabaceae	Bark, Root, Seed	Bone Fracture <sup>84</sup> , Paralysis <sup>83</sup> , Rheumatism <sup>83</sup> , Joint Pain <sup>106</sup>
74	<i>Casuarina equisetifolia</i> L.	Casuarinaceae	Whole plant	Bone Fracture <sup>114</sup>
75	<i>Catharanthus roseus</i> (L.)	G. Don	Flower, Leaf, Root	Rheumatism <sup>115</sup> , Bipolar disorder <sup>85</sup>
76	<i>Catunaregam spinosa</i> (Thunb.)	Apocyanaceae Tirveng. Rubiaceae	Fruit	Rheumatism <sup>80</sup>
77	<i>Centella asiatica</i> (L.)	Urb. Apiaceae	Whole plant, Leaf, Stem	Psychosis <sup>93</sup> , Epilepsy and Insomnia <sup>88</sup> , Mental disorders <sup>93</sup> , Memory <sup>98, 117</sup>
78	<i>Ceropegia candelabrum</i> L.	Apocyanaceae	Stem	Mental disorders <sup>89</sup>
79	<i>Chassalia chartacea</i> Craib.	Rubiaceae	Root	Rheumatism <sup>113</sup>
80	<i>Chloroxylon swietenia</i> DC.	Rutaceae	Leaf	Rheumatism <sup>89</sup>
81	<i>Chrozophora plicata</i> (Vahl.) A.Juss. ex Spreng.	Euphorbiaceae	Leaf	Joint Pain <sup>86</sup>
82	<i>Chrysopogon zizanioides</i> (L.)	Roberty Poaceae		Insomnia <sup>110</sup> , Joint pain <sup>110</sup> , Muscle pain <sup>110</sup> , Nervous disorders <sup>110</sup>
83	<i>Cinnamomum wightii</i> Meisn.	Lauraceae	Bark	Bone Fracture <sup>84, 118</sup>
84	<i>Cinnamomum camphora</i> (L.)	J.Presl Lauraceae	Resin	Joint pain <sup>106</sup>
85	<i>Cinnamomum sulphuratum</i>	Nees Lauraceae	Bark	Arthritis <sup>95</sup>
86	<i>Cissampelos pareira</i> L.	Menispermaceae	Whole plant	Arthritis and Muscle Cramp <sup>91</sup>
87	<i>Cissus adnata</i> Roxb.	Vitaceae	Root (Tuber)	Bone Fracture <sup>89</sup>
88	<i>Cissus quadrangularis</i> L.	Vitaceae	Leaf, Stem	Bone Fracture <sup>81, 84, 88, 93, 106, 116, 117</sup> , Rheumatism <sup>81</sup> , Lumbago <sup>80</sup> , Joint pain <sup>88</sup>
89	<i>Citrus aurantifolia</i> (Christm.)	Swingle Rutaceae	Fruit	Migraine and Insomnia <sup>99</sup>
90	<i>Citrus limon</i> (L.)	Osbeck. Rutaceae	Fruit	Bone Fracture <sup>84</sup> , Paralysis <sup>96</sup> , Migraine <sup>119</sup>
91	<i>Citrus medica</i> L.	Rutaceae	Leaf	Muscular and Joint Pain <sup>116</sup>
92	<i>Cleome gynandra</i> L.	Cleomaceae	Leaf	Rheumatism <sup>95</sup> , Epilepsy <sup>117</sup>
93	<i>Clerodendrum phlomidis</i> L.f.	Lamiaceae	Bark	Paralysis <sup>106</sup>
94	<i>Clitoria ternatea</i> L.	Fabaceae	Root	Mental disorders <sup>93, 97, 120</sup>
95	<i>Coccinia grandis</i> (L.) Voigt.	Cucurbitaceae	Fruit, Leaf, Stem	Nervous tension and Insomnia <sup>80</sup> , Rheumatism <sup>88</sup>
96	<i>Cocos nucifera</i> L.	Arecaceae	Fruit, Seed	Rheumatism <sup>80, 81, 110</sup> , Lumbago <sup>110</sup> , Bipolar disorder <sup>85</sup> , Joint Pain <sup>99</sup> , Sprain <sup>112</sup> , Bone Fracture <sup>100, 121</sup>
97	<i>Codariocalyx motorius</i> (Houtt.) H.	OhashiFabaceae	Leaf	Rheumatism <sup>80</sup>
98	<i>Commelina benghalensis</i> L.	Commelinaceae	Root	Epilepsy <sup>122</sup>
99	<i>Couroupita guianensis</i> Aubl.	Lecythidaceae	Bark	Paralysis <sup>123</sup>
100	<i>Crateva religiosa</i> G.Forst.	Capparaceae	Bark, Leaf	Neuromuscular cramps <sup>80</sup>
101	<i>Croton persimilis</i> Mull. Arg.	Euphorbiaceae	Leaf, Stem	Neurosis <sup>81</sup> , Arthritis <sup>92</sup>

102	<i>Croton tiglium</i> L.	Euphorbiaceae	Seed	Rheumatism <sup>81</sup>
103	<i>Cuminum cyminum</i> L.	Apiaceae	Seed	Rheumatism <sup>80</sup> , Joint pain <sup>99</sup>
104	<i>Curculigo orchioides</i>	Gaertn.	Leaf, Root	Lumbago and Neuralgia <sup>80</sup> , Dislocation of bones <sup>104</sup>
105	<i>Curcuma longa</i> L.	Hypoxidaceae	Rhizome	Arthritis <sup>88</sup> , Bone Fracture <sup>100</sup>
106	<i>Cuscuta reflexa</i> Roxb.	Convolvulaceae	Whole plant	Epilepsy <sup>82</sup>
107	<i>Cyclea peltata</i> (Lam.) Hook.f. & Th.	Menispermaceae	Whole plant, Leaf	Sprain <sup>82</sup> , Insomnia <sup>80</sup>
108	<i>Cymbopogon citratus</i> (DC.)	Stapf. Poaceae	Whole plant, Root	Arthritis <sup>93</sup> , Rheumatism <sup>81</sup>
109	<i>Cynarospermum asperrimum</i> (Nees.) Vollesen.	Acanthaceae	Whole plant	Bone Fracture <sup>80, 82</sup>
110	<i>Cynodon dactylon</i> (L.)	Pers. Poaceae	Whole plant	Bone Fracture <sup>84</sup> , Insomnia <sup>80</sup> , Rheumatism <sup>81</sup>
111	<i>Cyperus rotundus</i> L.	Cyperaceae	Root	Mental disorders <sup>86</sup>
112	<i>Dalbergia malabarica</i> Prain.	Fabaceae	Stem	Arthritis <sup>92</sup>
113	<i>Dalbergia volubilis</i> Roxb.	Fabaceae	Seed	Rheumatism <sup>81</sup>
114	<i>Datura metel</i> L.	Solanaceae	Leaf, Seed	Rheumatism <sup>80, 81, 117</sup>
115	<i>Datura stramonium</i> L.	Solanaceae	Leaf	Parkinson's disease <sup>115</sup>
116	<i>Decaschistia trilobata</i> Wight.	Malvaceae	Root	Joint Pain and Muscular Pain <sup>80</sup>
117	<i>Delonix regia</i> (Hook.) Raf.	Fabaceae	Leaf	Arthritis <sup>89</sup>
118	<i>Dendrophthoe falcata</i> (L.f.) Ettingsh.	Loranthaceae	Leaf	Migraine <sup>82</sup> , Arthritis <sup>99</sup>
119	<i>Desmodium triflorum</i> (L.) DC.	Fabaceae	Whole plant, Leaf	Epilepsy <sup>89</sup> , Nervous debility <sup>80</sup>
120	<i>Dicliptera paniculata</i> (Frossk.) I.	Acanthaceae Darbysh	Leaf	Bone Fracture <sup>84</sup>
121	<i>Dillenia pentagyna</i> Roxb.	Dilleniaceae	Bark	Joint pain <sup>123</sup>
122	<i>Diospyros candolleana</i> Wight.	Ebenaceae	Fruit	Sprain <sup>80</sup>
123	<i>Diospyros malabarica</i> (Desr.) Kostel.	Ebenaceae	Bark	Bone Fracture <sup>111</sup>
124	<i>Diospyros montana</i> Roxb.	Ebenaceae	Leaf	Bone Fracture <sup>84</sup>
125	<i>Dipterocarpus indicus</i> Bedd.	Dipterocarpaceae	Stem	Rheumatism <sup>80</sup>
126	<i>Dodonaea viscosa</i> (L.) Jacq.	Sapindaceae	Bark, Leaf	Bone Fracture <sup>117</sup> , Rheumatism <sup>89</sup>
127	<i>Elaeagnis conferta</i> Roxb.	Elaeagnaceae	Stem	Arthritis <sup>92</sup>
128	<i>Elaeocarpus serratus</i> L.	Elaeocarpaceae	Bark, Fruit, Leaf	Nervous disorders <sup>88</sup>
129	<i>Elephantopus scaber</i> L.	Asteraceae	Root	Migraine <sup>124</sup>
130	<i>Elettaria cardamomum</i> (L.) Maton.	Zingiberaceae	Seed	Migraine <sup>106, 107</sup>
131	<i>Embelia ribes</i> Burm.f.	Primulaceae	Leaf	Paralysis <sup>103, 104</sup>
132	<i>Embelia tsjeriam-cottam</i> (Roem. & Schult.) A.DC.	Primulaceae	Leaf, Root	Arthritis <sup>92</sup>
133	<i>Entada rheedei</i>	Spreng. Fabaceae	Seed	Lumbago and Joint pain <sup>80</sup>
134	<i>Erythrina suberosa</i> Roxb.	Fabaceae	Root, Seed	Dissociative disorder <sup>85</sup>
135	<i>Erythrina subumbrans</i> (Hassk.) Merr.	Fabaceae	Bark, Flower	Epilepsy and Rheumatism <sup>89</sup>
136	<i>Erythrina variegata</i> L.	Fabaceae	Bark	Rheumatism <sup>80, 81</sup> , Arthritis <sup>80, 93</sup>
137	<i>Eucalyptus globulus</i> Labill.	Myrtaceae	Leaf	Migraine <sup>125</sup> , Rheumatism <sup>103, 104</sup>
138	<i>Euphorbia antiquorum</i> L.	Euphorbiaceae	Latex	Rheumatism <sup>81</sup>
139	<i>Euphorbia nivulia</i> Buch.-Ham.	Euphorbiaceae	Latex	Rheumatism <sup>81</sup>
140	<i>Euphorbia tirucalli</i> L.	Euphorbiaceae	Latex	Migraine <sup>125</sup> , Neuralgia <sup>89</sup>
141	<i>Evolvulus alsinoides</i> (L.) L.	Convolvulaceae	Whole plant	Epilepsy <sup>89</sup> , Nervous disorders <sup>80</sup> , Psychosis <sup>89</sup> , Schizophrenia <sup>85</sup>
142	<i>Excoecaria agallocha</i> L.	Euphorbiaceae	Latex	Paralysis <sup>90</sup>
143	<i>Ficus benghalensis</i> L.	Moraceae	Bark, Leaf, Latex, Root	Bone Fracture <sup>84, 88</sup> , Rheumatism <sup>83</sup> , Lumbago <sup>83</sup> , Arthritis <sup>92</sup>
144	<i>Ficus microcarpa</i> L.f.	Moraceae	Bark	Rheumatism <sup>80, 81</sup>
145	<i>Ficus religiosa</i> L.	Moraceae	Bark	Bone Fracture <sup>88</sup>
146	<i>Ficus semicordata</i> Buch.-Ham.ex Sm.	Moraceae	Root	Rheumatism <sup>81</sup>
147	<i>Flueggea leucopyrus</i> Willd.	Phyllanthaceae	Root	Rheumatism <sup>81</sup>
148	<i>Foeniculum vulgare</i> Mill.	Apiaceae	Seed	Joint pain <sup>106</sup>

149	<i>Gardenia gummifera</i> L.f.	Rubiaceae	Resin	Nervous disorders <sup>93</sup>
150	<i>Gliricidia sepium</i> (Jacq.) Walp.	Fabaceae		Bone Fracture <sup>110</sup> , Rheumatism <sup>110</sup>
151	<i>Glochidion heyneanum</i> (Wight & Arn.) Wight.	Phyllanthaceae	Stem	Bone Fracture <sup>84</sup>
152	<i>Gloriosa superba</i> L.	Colchicaceae	Root (Tuber)	Rheumatism <sup>89, 97</sup> , Neuralgia <sup>89</sup>
153	<i>Glycosmis pentaphylla</i> (Retz.) DC.	Rutaceae	Whole plant, Bark, Leaf, Root	Migraine <sup>95</sup> , Rheumatism <sup>80</sup> , Arthritis <sup>92</sup>
154	<i>Gmelina arborea</i> Roxb.	Lamiaceae	Bark, Leaf, Root	Bone Fracture <sup>84, 121</sup> , Rheumatism and Nervous debility <sup>80</sup>
155	<i>Gnetum ula</i> Brongn.	Gnetaceae	Fruit, Seed	Rheumatism <sup>80, 81, 89</sup>
156	<i>Gnidia glauca</i> (Fresen.) Gilg.	Thymelaeaceae	Leaf, Root	Arthritis <sup>92</sup>
157	<i>Gomphandra tetrandra</i> (Wall.) Sleumer.	Stemonuraceae	Leaf	Arthritis <sup>92</sup>
158	<i>Gossypium barbadense</i> L.	Malvaceae	Seed	Rheumatism <sup>80</sup>
159	<i>Gymnema sylvestre</i> (Retz.) Schult.	Apocyanaceae	Leaf	Bone Fracture <sup>108</sup>
160	<i>Hedychium coronarium</i> J.Koenig.	Zingiberaceae	Rhizome	Rheumatism <sup>89</sup>
161	<i>Hemidesmus indicus</i> (L.) R.Br. ex Schult.	Apocyanaceae	Leaf	Lumbago <sup>100</sup>
162	<i>Hibiscus hispidissimus</i> Griff.	Malvaceae	Root	Rheumatism <sup>81</sup>
163	<i>Holarrhena pubescens</i> Wall.ex G.	Don	Bark, Leaf	Bone Fracture <sup>105, 126</sup>
164	<i>Holigarna grahamii</i> (Wight.)	Apocyanaceae		
		Kurz.	Bark	Bone Fracture <sup>84, 100</sup>
165	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Anacardiaceae		
		Ulmaceae	Bark	Migraine <sup>96</sup>
166	<i>Hoya ovalifolia</i> Wight & Arn.	Apocyanaceae	Leaf	Arthritis <sup>99</sup>
167	<i>Hugonia mystax</i> L.	Linaceae	Leaf	Insomnia <sup>80</sup>
168	<i>Humboldtia brunonis</i> Wall.	Fabaceae	Bark, Leaf	Arthritis <sup>94</sup>
169	<i>Hydrocotyle javanica</i> Thunb.	Araliaceae	Leaf	Nervousness <sup>89</sup>
170	<i>Hydrocotyle rotundifolia</i> Roxb.	Araliaceae	Whole plant	Nervous and Muscular disorders <sup>80</sup>
171	<i>Hygrophila auriculata</i> (Schumach.)	Heine	Root	Rheumatism <sup>80</sup> , Migraine <sup>125</sup>
172	<i>Impatiens balsamina</i> L.	Acanthaceae		
		Balsaminaceae	Flower	Lumbago <sup>89</sup>
173	<i>Ipomoea nil</i> (L.) Roth.	Convolvulaceae	Leaf	Sprain <sup>101</sup>
174	<i>Ipomoea pes-caprae</i> (L.) R.Br	Convolvulaceae	Leaf	Psychosis and Neural disorders <sup>80</sup>
175	<i>Ixora Coccinea</i> L.	Rubiaceae	Flower	Insomnia <sup>80</sup>
176	<i>Jatropha curcas</i> L.	Euphorbiaceae	Latex, Leaf, Root, Seed	Paralysis <sup>89, 113</sup> , Rheumatism <sup>89, 110</sup> , Joint Pain and Neuralgia <sup>80</sup>
177	<i>Jatropha gossypifolia</i> L.	Euphorbiaceae	Seed	Rheumatism <sup>117</sup>
178	<i>Justica adhatoda</i> L.	Acanthaceae	Leaf, Root	Arthritis <sup>92</sup>
179	<i>Justicia gendarussa</i> Burm.f.	Acanthaceae	Leaf, Stem	Rheumatism <sup>80, 81</sup>
180	<i>Justicia japonica</i> Thunb.	Acanthaceae	Whole plant	Bone Fracture <sup>80, 81</sup>
181	<i>Kaempferia galanga</i> L.	Zingiberaceae	Rhizome	Insomnia and Anxiety <sup>80</sup>
182	<i>Kingiodendron pinnatum</i> (DC.) Harms.	Fabaceae	Stem	Rheumatism <sup>80</sup>
183	<i>Knema attenuata</i> Warb.	Myristicaceae	Bark	Rheumatism <sup>80</sup>
184	<i>Lagenandra toxicaria</i> Dalz.	Araceae	Rhizome	Arthritis <sup>99</sup>
185	<i>Lagenaria siceraria</i> (Molina) Standl.	Cucurbitaceae	Whole Plant	Insomnia <sup>99</sup>
186	<i>Lantana camara</i> L.	Verbenaceae	Leaf	Rheumatism <sup>101</sup>
187	<i>Laportea aestuans</i> (L.) Chew.	Urticaceae	Fruit	Mental depression <sup>127</sup>
188	<i>Leea asiatica</i> (L.)	Ridsdale Vitaceae	Whole plant	Bone Fracture <sup>128</sup>
189	<i>Leea indica</i> (Burm.f.) Merr.	Vitaceae	Root, Stem	Rheumatism <sup>80</sup> , Arthritis <sup>92</sup>
190	<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Whole plant, Flower, Leaf, Root	Joint pain <sup>87</sup> , Migraine <sup>115, 126</sup> , Rheumatism <sup>81</sup> , Musculo-Skeletal disorders <sup>88</sup>

191	<i>Leucas lavandulifolia</i> Sm.	Lamiaceae	Flower, Leaf	Arthritis <sup>82</sup> , Rheumatism <sup>80</sup>
192	<i>Litsea glutinosa</i> (Lour.) C.B.Rob.	Lauraceae	Bark	Bone Fracture <sup>81</sup>
193	<i>Lobelia nicotianifolia</i> Roth ex Schult.	Campanulaceae	Leaf	Arthritis <sup>92</sup>
194	<i>Ludwigia perennis</i> L.	Onagraceae	Leaf	Rheumatism <sup>81</sup>
195	<i>Lygodium flexuosum</i> (L.) Sw	Lygodiaceae	Whole plant	Arthritis <sup>92</sup>
196	<i>Macrotyloma uniflorum</i> (Lam.) Verdc.	Fabaceae	Seed	Rheumatism <sup>80</sup>
197	<i>Madhuca longifolia</i> (J.Koenig ex L.) J.F.Macbr.	Sapotaceae	Bark, Seed	Bone Fracture <sup>84</sup> , Rheumatism <sup>93</sup>
198	<i>Madhuca neriifolia</i> (Moon.) H. J.Lam.	Sapotaceae	Stem (Heart wood)	Rheumatism <sup>80</sup>
199	<i>Maesa indica</i> (Roxb.) A. DC.	Primulaceae	Root	Joint pain <sup>113</sup>
200	<i>Magnolia champaca</i> (L.) Baill. ex Pierre.	Magnoliaceae	Seed	Rheumatism <sup>81</sup>
201	<i>Mammea suriga</i> (Buch.-Ham. ex Roxb.)	Kosterm. Calophyllaceae	Bark, Leaf	Arthritis <sup>92</sup> , Rheumatism <sup>81</sup>
202	<i>Mangifera indica</i> L.	Anacardiaceae	Leaf	Migraine <sup>106</sup>
203	<i>Memecylon umbellatum</i> Burm.f.	Melastomataceae	Leaf	Bone Fracture <sup>103</sup>
204	<i>Mentha arvensis</i> L.	Lamiaceae	Whole plant	Paralysis <sup>125</sup>
205	<i>Merremia emarginata</i> (Burm.f.) Hallier f.		Whole plant	Neuralgia <sup>89</sup>
206	<i>Mimosa pudica</i> L.	Fabaceae	Whole plant, Root	Arthritis <sup>92</sup> , Migraine <sup>103, 104</sup>
207	<i>Mollugo pentaphylla</i> L.	Molluginaceae	Whole plant	Rheumatism <sup>89</sup>
208	<i>Moringa oleifera</i> Lam.	Moringaceae	Bark, Fruit, Gum, Leaf, Root, Seed	Bone Fracture <sup>84, 100</sup> , Paralysis <sup>93, 107</sup> , Rheumatism <sup>83, 93</sup> , Arthritis <sup>92</sup> , Migraine <sup>125</sup>
209	<i>Mucuna pruriens</i> (L.) DC.	Fabaceae	Leaf, Root, Seed, Stem	Nervous disorders <sup>89</sup> , Parkinson's disease <sup>94, 112</sup> , Amnesia <sup>85</sup>
210	<i>Murraya koenigii</i> (L.) Spreng.	Rutaceae	Leaf	Lumbago <sup>107</sup>
211	<i>Murraya paniculata</i> (L.) Jack.	Rutaceae	Leaf	Rheumatism <sup>89</sup>
212	<i>Musa x paradisiaca</i> L.	Musaceae	Fruit, Stem	Dissociative disorder and Depression <sup>85</sup>
213	<i>Mussaenda frondosa</i> L.	Rubiaceae	Leaf	Insomnia <sup>80</sup>
214	<i>Myristica fragrans</i> Houtt.	Myristicaceae	Fruit	Sprain <sup>111</sup> , Insomnia, Schizophrenia and Amnesia <sup>85</sup>
215	<i>Myristica malabarica</i> Lam.	Myristicaceae	Seed	Joint pain <sup>80</sup>
216	<i>Naravelia zeylanica</i> (L.) DC.	Ranunculaceae	Whole plant	Migraine <sup>128</sup>
217	<i>Naregamia alata</i> Wight & Arn.	Meliaceae	Whole plant	Rheumatism <sup>80</sup>
218	<i>Nerium oleander</i> L.	Apocyanaceae	Latex	Muscular pain <sup>101</sup>
219	<i>Nyctanthes arbor-tristis</i> L.	Oleaceae	Root	Bone Fracture <sup>84</sup>
220	<i>Ocimum americanum</i> L.	Lamiaceae	Leaf	Rheumatism <sup>80</sup> , Arthritis <sup>110</sup>
221	<i>Ocimum basilicum</i> L.	Lamiaceae	Leaf	Bone Fracture <sup>84</sup> , Migraine <sup>88</sup> , Joint Pain <sup>106</sup>
222	<i>Ocimum tenuiflorum</i> L.	Lamiaceae	Leaf, Root	Arthritis <sup>99</sup> , Mental disorders <sup>93</sup> , Epilepsy <sup>88</sup> , Joint Pain <sup>106</sup> , Migraine <sup>107</sup> , Insomnia <sup>110</sup>
223	<i>Olea dioica</i> Roxb.	Oleaceae	Leaf, Stem	Arthritis <sup>92</sup>
224	<i>Olea europaea</i> L.	Oleaceae	Seed	Epilepsy <sup>119</sup>
225	<i>Origanum majorana</i> L.	Lamiaceae	Leaf	Bipolar disorder <sup>85</sup>
226	<i>Oroxylum indicum</i> (L) Kurz.	Bignoniaceae	Bark, Root, Stem	Epilepsy <sup>82</sup> , Rheumatism <sup>81</sup> , Joint Pain <sup>99</sup>
227	<i>Oryza sativa</i> L.	Poaceae	Seed	Insomnia <sup>80</sup>
228	<i>Pandanus fascicularis odorifer</i> (Forssk.) Kuntze.	Pandanaceae	Leaf, Root, Stem	Muscular cramps <sup>80</sup> , Rheumatism <sup>80, 89</sup>

229	<i>Pavonia zeylanica</i> (L.) Cav.	Malvaceae	Leaf	Bone Fracture <sup>107</sup>
230	<i>Pergularia daemia</i> (Forssk.) Chiov.	Apocyanaceae	Whole plant, Latex, Leaf, Stem	Rheumatism <sup>89</sup> , Epilepsy <sup>89</sup> , Bone Fracture <sup>108</sup> , Paralysis <sup>117</sup> , Mental Disorders <sup>89</sup>
231	<i>Persea macrantha</i> (Nees) Kosterm.	Lauraceae	Bark, Stem	Bone Fracture <sup>84, 118</sup> , Rheumatism <sup>80</sup>
232	<i>Phoenix sylvestris</i> (L.) Roxb.	Arecaceae	Stem	Mental Stress <sup>85</sup>
233	<i>Phyllanthus emblica</i> L.	Phyllanthaceae	Fruit	Insomnia <sup>80</sup>
234	<i>Phyllanthus reticulatus</i> Poir.	Phyllanthaceae	Bark, Fruit	Rheumatism <sup>89</sup>
235	<i>Phyllorhiza nilgherensis</i> (Wight.) Kuntze.	Orchidaceae	Stem (Pseudobulb)	Arthritis <sup>124</sup>
236	<i>Physalis minima</i> L.	Solanaceae	Leaf	Rheumatism <sup>81</sup> , Bone Fracture <sup>86</sup>
237	<i>Piper longum</i> L.	Piperaceae	Fruit	Muscular pain <sup>93, 120</sup>
238	<i>Piper nigrum</i> L.	Piperaceae	Fruit, Leaf, Seed	Arthritis <sup>80, 99</sup> , Rheumatism <sup>81</sup> , Sprain <sup>99, 111, 112</sup> , Migraine <sup>95</sup> , Bone Fracture <sup>108</sup> , Epilepsy <sup>102</sup>
239	<i>Plectranthus amboinicus</i> (Lour.) Spreng.	Lamiaceae	Leaf	Epilepsy <sup>82</sup> , Migraine <sup>129</sup>
240	<i>Plumaria rubra</i> L.	Apocyanaceae	Bark, Latex, Leaf, Seed	Rheumatism <sup>89</sup> , Joint pain <sup>101</sup>
241	<i>Plumbago indica</i> L.	Plumbaginaceae	Root	Rheumatism <sup>80</sup>
242	<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Whole plant, Bark, Leaf, Root	Rheumatism <sup>81, 117</sup> , Bone Fracture <sup>107</sup> , Dissociative disorder <sup>85</sup> , Arthritis <sup>124</sup>
243	<i>Polyalthia longifolia</i> (Sonn.) Thwaites.	Annonaceae	Bark	Rheumatism <sup>93</sup>
244	<i>Polycarpaea corymbosa</i> (L.)	Lam. Caryophyllaceae	Whole plant	Neuromuscular tremor <sup>80</sup>
245	<i>Pongamia pinnata</i> (L.) Pierre.	Fabaceae	Bark, Fruit, Leaf, Seed	Rheumatism <sup>80, 81, 103, 104, 110</sup> , Bone Fracture <sup>84</sup> , Migraine <sup>117</sup> , Musculo-Skeletal <sup>88</sup> , Arthritis <sup>100</sup>
246	<i>Portulaca oleracea</i> L.	Portulacaceae	Whole plant	Depression and Schizophrenia <sup>85</sup>
247	<i>Pothos scandens</i> L. e	Aracea	Whole plant	Bone fracture <sup>84</sup> , Sprain <sup>128</sup>
248	<i>Premna serratifolia</i> L.	Lamiaceae	Leaf, Root	Arthritis <sup>92, 99</sup> , Rheumatism <sup>81</sup>
249	<i>Priva cordifolia</i> (L.f.) Druce	Verbenaceae	Leaf	Bone Fracture <sup>86</sup>
250	<i>Pseudarthria viscida</i> (L.) Wight & Arn.	Fabaceae	Whole plant	Rheumatism <sup>80</sup>
251	<i>Psidium guajava</i> L.	Myrtaceae	Fruit	Rheumatism <sup>100</sup>
252	<i>Psydrax umbellata</i> (Wight)	Bridson Rubiaceae	Bark	Bone Fracture <sup>89</sup>
253	<i>Pterocarpus marsupium</i> Roxb.	Fabaceae	Gum, Latex, Leaf	Musculo-Skeletal disorders <sup>88</sup>
254	<i>Putranjiva roxburghii</i> Wall.	Putranjivaceae	Leaf	Rheumatism <sup>110</sup>
255	<i>Rauvolfia serpentina</i> (L.) Benth.ex Kurz.	Apocyanaceae	Root	Mental disorders <sup>80, 93</sup> , Rheumatism <sup>81</sup> , Arthritis <sup>92</sup> , Psychosis <sup>93</sup> , Insomnia <sup>80</sup>
256	<i>Rauvolfia tetraphylla</i> L.	Apocyanaceae	Leaf, Root	Insomnia and Anxiety <sup>85</sup>
257	<i>Ricinus communis</i> L.	Euphorbiaceae	Leaf, Root, Seed	Rheumatism <sup>81</sup> , Sprain and Lumbago <sup>80</sup> , Joint Pain <sup>106, 130</sup> , Bone Fracture <sup>84</sup>
258	<i>Rothea serrata</i> (L.) Steane & Mabb.	Lamiaceae	Fruit, Leaf	Epilepsy <sup>82</sup> , Migraine <sup>106</sup>
259	<i>Rubia cordifolia</i> L.	Rubiaceae	Fruit, Leaf, Root, Stem	Rheumatism <sup>91</sup> , Arthritis <sup>88, 92</sup> , Dislocation of bones <sup>121</sup>
260	<i>Ruta chalepensis</i> L.	Rutaceae	Whole plant, Leaf	Epilepsy <sup>93, 110</sup>
261	<i>Ruta graveolens</i> L. Rutaceae	Rutaceae	Leaf	Epilepsy <sup>115</sup>
262	<i>Salix tetrasperma</i> Roxb.	Salicaceae	Bark, Leaf	Rheumatism <sup>89</sup>
263	<i>Sansevieria roxburghiana</i> Schult. & Schult.f.	Asparagaceae	Root	Arthritis <sup>92</sup>
264	<i>Sapindus trifoliatus</i> L.	Sapindaceae	Fruit	Epilepsy <sup>80</sup>



265	<i>Saraca asoca</i> (Roxb.) Willd.	Fabaceae	Bark, Leaf	Arthritis <sup>88</sup>
266	<i>Sarcostemma acidum</i> (Roxb.) Voigt.	Apocyanaceae	Stem	Mental disorders <sup>93</sup>
267	<i>Sarcostemma intermedium</i> Decne.	Apocyanaceae	Bark, Fruit	Rheumatism <sup>89</sup>
268	<i>Schefflera venulosa</i> (Wight & Arn.)	HarmsAraliaceae	Leaf	Joint pain <sup>106</sup>
269	<i>Schleichera oleosa</i> (Lour.) Oken.	Sapindaceae	Seed	Joint pain <sup>89</sup>
270	<i>Semecarpus anacardium</i> L.f.	Anacardiaceae	Flower (Thalamus)	Muscular pain <sup>124, 128</sup>
271	<i>Senna alexandrina</i> Mill.	Fabaceae	Whole plant	Rheumatism <sup>117</sup>
272	<i>Senna auriculata</i> (L.) Roxb.	Fabaceae	Flower, Leaf, Root, Seed, Stem	Rheumatism <sup>88</sup> , Muscular cramps <sup>107</sup>
273	<i>Senna occidentalis</i> (L.) Link	Fabaceae	Leaf	Nervous disorders <sup>103, 104</sup>
274	<i>Senna sophera</i> (L.) Roxb.	Fabaceae	Leaf	Rheumatism <sup>103</sup>
275	<i>Senna tora</i> (L.) Roxb.	Fabaceae	Leaf	Bone fracture <sup>84, 100</sup>
276	<i>Sesamum indicum</i> L.	Pedaliaceae	Seed	Paralysis <sup>106</sup> , Rheumatism <sup>80, 81, 103, 104</sup> , Joint Pain <sup>99, 106</sup> , Lumbago <sup>107</sup> , Bone Fracture <sup>84</sup> , Insomnia <sup>99</sup> , Rheumatism <sup>88</sup> , Epilepsy <sup>88</sup> , Arthritis <sup>110</sup> , Mental retardation <sup>85</sup>
277	<i>Sesbania grandiflora</i> L. Pers.	Fabaceae	Bark, Flower, Leaf, Root, Seed	
278	<i>Sida acuta</i> Burm.f.	Malvaceae	Root	Nervous disorders <sup>80</sup> , Rheumatism <sup>81</sup> , Arthritis <sup>92</sup>
279	<i>Sida cordata</i> (Burm.f.) Borss. Waalk.	Malvaceae	Root	Rheumatism <sup>81</sup> , Arthritis <sup>92</sup>
280	<i>Sida cordifolia</i> L.	Malvaceae	Whole Plant, Root	Nervous disorders <sup>80, 93, 120</sup> , Schizophrenia <sup>85</sup> , Rheumatism <sup>80</sup>
281	<i>Sida rhombifolia</i> L.	Malvaceae	Leaf, Root	Rheumatism <sup>80, 89, 113, 128</sup> , Muscular pain and Lumbago <sup>80</sup> , Nervous debility <sup>80, 89</sup>
282	<i>Solanum surattense</i> Burm.f.	Solanaceae	Flower, Leaf	Arthritis <sup>82</sup>
283	<i>Solanum torvum</i> Sw.	Solanaceae	Root	Arthritis <sup>93</sup>
284	<i>Soymida febrifuga</i> (Roxb.) A.Juss.	Meliaceae	Bark	Bone Fracture <sup>108</sup>
285	<i>Sterculia foetida</i> L.	Malvaceae	Bark	Rheumatism <sup>81</sup> , Lumbago <sup>80</sup>
286	<i>Strobilanthes heyneanus</i> Nees.	Acanthaceae	Whole plant	Arthritis <sup>113</sup>
287	<i>Strychnos colubrina</i> L.	Loganiaceae	Bark, Leaf, Root	Rheumatism <sup>80</sup>
288	<i>Strychnos nux vomica</i> L.	Loganiaceae	Bark, Leaf, Seed	Migraine <sup>91</sup> , Arthritis <sup>80</sup> , Depression <sup>91</sup> , Epilepsy <sup>93</sup>
289	<i>Strychnos potatorum</i> L.f.	Loganiaceae	Leaf	Muscular Pain <sup>108</sup>
290	<i>Strychnos wallichiana</i> Steud. ex.A.DC.	Loganiaceae	Root	Rheumatism <sup>113</sup>
291	<i>Styrax benzoin</i> Dryand.	Styracaceae	Flower, Leaf	Epilepsy <sup>119</sup>
292	<i>Syzygium cumini</i> (L.) Skeels.	Myrtaceae	Fruit	Joint pain <sup>127</sup>
293	<i>Tabernaemontana alternifolia</i> L.	Apocyanaceae	Leaf	Rheumatism <sup>80</sup>
294	<i>Tabernaemontana divaricata</i> (L.) R.Br. ex Roem& Schult.	Apocyanaceae	Latex	Mental Stress and Depression <sup>85</sup>
295	<i>Tamarindus indica</i> L.	Fabaceae	Fruit, Leaf, Root	Sprain <sup>112</sup> , Rheumatism <sup>80, 81</sup> , Bone Fracture <sup>84</sup> , Paralysis <sup>106</sup>
296	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn.	Combretaceae	Bark	Bone Fracture <sup>81, 84</sup>
297	<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Combretaceae	Bark, Seed	Paralysis <sup>96</sup> , Arthritis <sup>92</sup>
298	<i>Terminalia chebula</i> Retz.	Combretaceae	Fruit	Schizophrenia and Mental retardation <sup>85</sup>
299	<i>Terminalia paniculata</i> Roth.	Combretaceae	Bark, Leaf	Arthritis <sup>80</sup>
300	<i>Tinospora sinensis</i> (Lour.) Merr.	Menispermaceae	Whole plant, Leaf, Stem	Rheumatism <sup>80, 81</sup> , Bone Fracture <sup>84</sup> , Arthritis <sup>88, 110</sup>
301	<i>Toddalia asiatica</i> (L.) Lam.	Rutaceae	Fruit, Leaf, Root	Rheumatism <sup>80, 93</sup> , Epilepsy <sup>100</sup>
302	<i>Trachyspermum ammi</i> (L.) Sprague.	Apiaceae	Seed	Arthritis <sup>99</sup> , Paralysis <sup>125</sup>
303	<i>Trema orientalis</i> (L.)	BlumeCannabace ae	Whole plant	Epilepsy <sup>113</sup>

304	<i>Trichosanthes cucumerina</i> L.	Cucurbitaceae	Leaf	Obsessive compulsive disorder <sup>85</sup>
305	<i>Trichosanthes tricuspidata</i> Lour.	Cucurbitaceae	Leaf	Arthritis <sup>124</sup>
306	<i>Tridax procumbens</i> L.	Asteraceae	Leaf, Stem	Arthritis <sup>92</sup>
307	<i>Trigonella foenum-graecum</i> L.	Fabaceae	Seed	Joint pain <sup>106</sup>
308	<i>Triumfetta rotundifolia</i> Lam.	Malvaceae	Leaf	Migraine <sup>86</sup>
309	<i>Tylophora indica</i> (Burm.f.) Merr.	Apocyanaceae	Leaf	Migraine <sup>117</sup>
310	<i>Typha latifolia</i> L.	Typhaceae	Root	Mental disorder <sup>86</sup>
311	<i>Urena lobata</i> L.	Malvaceae	Whole plant	Bone Fracture <sup>84</sup>
312	<i>Urena sinuata</i> L.	Malvaceae	Leaf	Rheumatism <sup>124</sup>
313	<i>Vanda tessellata</i> (Roxb.) Hook. ex G. Don	Orchidaceae	Leaf, Root	Rheumatism <sup>115</sup> , Nervous troubles <sup>89</sup> , Arthritis <sup>115</sup>
314	<i>Vateria indica</i> Linn.	Dipterocarpaceae	Seed	Rheumatism <sup>80</sup> , Arthritis <sup>99</sup>
315	<i>Vernonia travancorica</i> Hook.f.	Asteraceae	Whole plant	Rheumatism <sup>124</sup>
316	<i>Vigna mungo</i> (L.)	Hepper Fabaceae	Seed	Arthritis <sup>92</sup> , Bone Fracture <sup>103</sup>
317	<i>Vitex altissima</i> L.f.	Lamiaceae	Bark	Arthritis and Nervous disorders <sup>80</sup>
318	<i>Vitex negundo</i> L.	Lamiaceae	Whole plant, Leaf, Root	Sprain <sup>117</sup> , Rheumatism <sup>80, 88, 91, 103, 104, 113, 117, 130</sup> , Migraine <sup>124, 128</sup> , Arthritis <sup>87, 99, 131</sup> , Dissociative disorder <sup>85</sup> , Paralysis <sup>98, 130</sup> , Bone Fracture <sup>117, 132</sup>
319	<i>Vitex trifolia</i> L.	Lamiaceae		Rheumatism <sup>127</sup>
320	<i>Volkameria inermis</i> L.	Lamiaceae	Root	Rheumatism <sup>80, 81, 97, 110</sup>
321	<i>Withania somnifera</i> (L.)	DunalSolanaceae	Leaf, Root, Stem	Nervous disorders <sup>97</sup> , Arthritis <sup>92</sup> , Rheumatism <sup>110</sup> , Amnesia <sup>85</sup> , Insomnia <sup>85, 97</sup> , Stress and Anxiety <sup>85</sup> , Paralysis <sup>103, 104</sup>
322	<i>Xylia xylocarpa</i> (Roxb.) Taub.	Fabaceae	Seed	Rheumatism <sup>80</sup>
323	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.	Rutaceae	Seed	Bone fracture <sup>84</sup>
324	<i>Zea mays</i> L.	Poaceae	Seed	Bipolar disorder <sup>85</sup>
325	<i>Zingiber officinale</i> Roscoe.	Zingiberaceae	Rhizome	Rheumatism <sup>81</sup> , Migraine <sup>124, 128</sup> , Muscularstrength <sup>110</sup>
326	<i>Ziziphus mauritiana</i> Lam.	Rhamnaceae	Leaf	Obsessive compulsive disorder and Schizophrenia <sup>85</sup> , Muscular strength <sup>110</sup>
327	<i>Zornia gibbosa</i> Span.	Fabaceae	Whole Plant	Stress <sup>86</sup>

**DISCUSSION:** This review reveals a total of 327 plant species belonging to 93 families used in traditional medicine against neuro-musculo-skeletal disorders in Karnataka State **Table 1**. Of these species 325 belongs to Angiosperms, one Gymnosperm and one Pteridophyte. Highest number of plant species belongs to the family Fabaceae (40 species) followed by Apocyanaceae (21 species), Lamiaceae (18 species), Malvaceae (14 species), Acanthaceae and Rutaceae (13 species each), Euphorbiaceae (11 species), Phyllanthaceae (9 species), Zingiberaceae and Rubiaceae (7 species each), Solanaceae, Convolvulaceae, Lauraceae, Asteraceae and Moraceae (6 species each), Sapindaceae, Cucurbitaceae and Poaceae (5 species each). Family Importance Value (FIV) observed in this review resembles to some extent with the earlier reports<sup>133, 134, 135</sup> and<sup>136</sup>. Among the recorded species, 233 are wild and 94 cultivated **Fig. 1**. Most of the plant species used in the

treatment belong to trees (118 species) followed by herbs (87 species), shrubs (65 species), climbers (52 species), epiphytes (3 species) and parasites (2 species) **Fig. 2**. Different plant parts such as leaves, stem, root, bark, seeds, fruits, whole plant, flower, latex, rhizome, corm, tuber, heart wood,, pseudo-bulb, mucilage, thalamus, resin and gum are being used for the treatment of different ailments **Fig. 3, Table 1**. Sometimes the healers collect these plant parts from wild without taking proper conservation strategies which would lead to scarcity and extinction of useful plant species. Hence encouragement for judicious and sustainable harvesting of medicinal plant species is necessary<sup>70, 137</sup>. External mode of application is mostly preferred for the treatment of neuro-musculo-skeletal disorders in folk medicine **Fig. 4**. Maximum number of plant species were reported against rheumatism (126 species) followed by bone fracture (71 species), arthritis (70 species),

migraine (30 species), joint pain and epilepsy (29 species each), insomnia and paralysis (24 species each), lumbago (17 species) and sprain (13 species). Reports revealed that more plants are documented against musculo-skeletal disorders than neurological disorders. Drug formulation varies between communities. Herbal paste, decoction, fresh juice, medicated oil, ointment, powder, medicated food, raw forms are the most popular modes in practice in the preparation of medicine. Among the recorded species, *Vitex negundo* are used to treat maximum number of disorders of neuro-musculo-skeletal category with highest number of citations. For joint disorders the most common drug formulation and method of usage includes the preparation of oil using poly herbal combinations and massaging over the affected parts for a prescribed period. *Cissus quadrangular* is used for treating bone fracture and has shown maximum number of citations. Rhizome of *Acorus calamus* and whole plant of

*Centella asiatica* are exclusively used to treat neurological disorders. Oil from the seeds of *Sesamum indicum*, *Cocos nucifera* or *Ricinus communis* is used as a medium for the preparation of mono-herbal or poly-herbal drug formulations used to treat joint disorders. This review also reveals that *Calotropis gigantea*, *Ocimum tenuiflorum*, *Withania somnifera*, *Pongamia pinnata*, *Pergularia daemia*, *Piper nigrum*, *Moringa oleifera*, *Azadirachta indica* and *Leucas aspera* are the notable plant species showing high use-value. Four plant species belonging to the family Malvaceae such as *Sida acuta*, *Sida cordata*, *Sida cordifolia* and *Sida rhombifolia* are found to be most effective to treat nervous and joint disorders. The root of *Rauvolfia serpentina* was found to be most effective against neurological and joint disorders. Traditional medicinal practices are often associated with religious faith and few informants are not ready to share their knowledge.




FIG. 1: REPRESENTATION OF HABITAT OF RECORDED ETHNOMEDICINAL PLANTS




FIG. 2: REPRESENTATION OF HABITS ETHNOMEDICINAL PLANTS




FIG. 3: REPRESENTATION OF PLANT PARTS USED AGAINSTNEURO-MUSCULO-SKELETAL




FIG. 4: MODE OF APPLICATION

Pharmacological characterization of some important plant species for their stimulating properties to heal neurological and musculo-skeletal disorders has been carried out in Karnataka. The fruit of *Aegle marmelos* contains steroids and alkaloids which is safer and an effective drug against anxiolytic effects. Bioactive compounds extracted from *Evolvulus alsinoides* have shown antistress effect. Leaves of *Acorus calamus* exhibited antioxidant properties and neuro-protective effects. Dry extract of whole plant of *Bacopa monnieri* promote cognitive functions in elderly patients<sup>138</sup>. Clinical study has revealed that herbal drug of *Cissus quadrangularis* promotes the development of collagen fibres, callus formation and earlier calcification, hence mainly used in treating bone fractures<sup>139</sup>.

*Withania somnifera* is an important medicinal plant which contains withanolides, alkaloids, saponins, phenolics and sitoindisides. Hence it possesses anti-arthritic activity and is also used to treat nervous disorders as it improves the functional recovery of motor activity. Clinical trials proved that active chemical withaferin-A stimulates differentiation and growth of osteoblasts<sup>140</sup>. Phytochemical analysis of leaf extract of *Vitex negundo* revealed saponins, tannins, phenols, flavonoids, alkaloids thereby showing anti-arthritic property, wound healing potential and CNS depressant activity<sup>141</sup>. Traditional healers prescribed the special diet containing herbal drugs for strengthening bones by the development of synovial fluid and cartilage in the bone joints<sup>142</sup>.

Semi-structured questionnaire and open-ended interviews with herbal healers were the main tools used in data collection. Proper documentation of information and collection of plant specimen is carried out during field trips. Collected data was analyzed following standard parameters of ethnobotanical study<sup>77, 78</sup>. However this review has shown that in the past few years the researchers have resorted to analyzing the data based on quantitative techniques such as Use-Value (UV), Informant Consensus Factor (ICF), Relative Frequency of Citation (RFC), Fidelity Level (FI) and Family Importance Value (FIV). Such standard quantitative techniques are essential to compare the uses and cultural importance of different plant taxa<sup>79, 84</sup>. Siddis, Gowlis, Kunabi, Naika, Malekudiya,

Koraga, Kuruba, Soligas, Yeravas, Hakki-pikkies, Lambani, Halakki, Valmiki, Brahmin, Saraswath, Vokkaliga, Besta, Idiga are the notable tribes and ethnic communities of Karnataka who have contributed to the available knowledge<sup>80, 81, 82</sup>. It is very unfortunate that a very large number of plant species lost every year due to forest fire. Necessary steps are to be taken for the conservation of medicinal plants which are in endangered category as per IUCN red list<sup>143</sup>.

**CONCLUSION:** Traditional medicine is the backbone for modern medicine.

Pharmacological validation of documented ethno-medicinal plants will contribute to new drug discovery specifically in the areas of musculo-skeletal-neurological ailments. With the modern facilities and the allopathic medical facilities making inroads into remote areas, dependency on traditional medicine system is declining. Also, owing to change in life style, younger generation is less interested in this system. But the information available is rich, useful and developed after centuries of trial and error. There is an urgent need to document and preserve this knowledge which can be of use in evolving less expensive and relatively safer protocols for our healthcare system.

**ACKNOWLEDGEMENT:** The authors are thankful to the Chairman, Department of Applied Botany, Mangalore University, Mangalagangothri, Karnataka, India, for providing the facilities and access to online resources for this literature review.

**CONFLICTS OF INTEREST:** Authors do not have any conflict of interest.

#### REFERENCES:

1. Shilpa B, Bijay T and Ashalata D: Ethnomedicinal plants of the sacred groves and their uses by Karbi tribe in Karbi Anglong district of Assam, Northeast India. *Indian Journal of Traditional Knowledge* 2020; 19(2): 277-87.
2. Bala LD and Singh R: Ethnobotanical study of traditional medicinal plants used by Mawasi tribe of chitrakoot region, district satna MP India. *International Journal of Biology Research* 2016; 1(3): 13-15.
3. Bernard K, Vincent S, Elizabeth W and Wilson K: An Ethnobotanical study of traditional knowledge and use of medicinal wild plants among the marakwet community in Kenya. *Evidence- Based Complementary and Alternative Medicine* 2020.
4. Smitha B and Mulgund GS: Ethnomedicinal plants used for treatment of Diabetes mellitus in Siddapur taluk of Uttara Kannada district, Karnataka India. *Research Journal*

- of Life Sciences Bioinformatics Pharmaceutical and Chemical Sciences 2019; 5(2): 189-00.
5. Murtem G and Chaudhry P: An ethnobotanical study of medicinal plants used by the tribes in Upper Subansiri district of Arunachal Pradesh, India. *American Journal of Ethnomedicine* 2016; 3(3): 35-49.
  6. Jayanta KD: Ethno-medicinal plants used by ethnic tribes of fringe villages in Greater Manas landscape, Baksa district of Assam, India. *International Journal of Advanced Research* 2020; 8(3): 459-64.
  7. Rakesh K, Vikas S and Sudesh K: Ethnobotanical study of herbal medicinal plants of Billawar region, Jammu and Kashmir India. *International Journal of Botany Studies* 2020; 5(5): 19-23.
  8. Shrishail HC and Prashanthkumar P: Traditional herbal remedies for human diseases of Bidar Fort, Karnataka. *International Journal of Science and Research* 2019; 8(10): 1281-83.
  9. Chaachouay N, Benkhniq O, Fadli M, Ibaoui EH and Zidane L: Ethnobotanical and ethnopharmacological studies of medicinal and aromatic plants used in the treatment of metabolic diseases in the Moroccan Rif. *Heliyon Journal* 2019.
  10. Santhosh JU, Krishna MJ, Andrew JS and Krishna V: Indigenous knowledge of medicinal plants used by ethnic communities of South India. *Ethnobotany Research and Applications* 2019; 112.
  11. Reddy AM, Babu MVS and Rao RR: Ethnobotanical study of traditional herbal plants used by local people of Seshachalam biosphere reserve in eastern ghats, India. *Herba Polonica Journal* 2019; 65(1): 40-54.
  12. Rajabu MK and Sheila MM: Ethnopharmacological study on some medicinal plants used in Ujiji, Kigoma, Tanzania. *The Journal of Pharmacology* 2020; 9(2): 102-09.
  13. Mohammed F and Shifa PS: Exploration and elucidation of various medicinal plants used in the management of dermatological disorders by folklore practitioners of Udipi district, Karnataka, India. *Journal of Pharmacognosy and Phytochemistry* 2019; 8(1): 1887-90.
  14. Santhosh MS, Nagashree N and Ajeet KS: Assessment of traditional medicine knowledge in balehonnur, chikkamagalur district of karnataka, India. *Ecology Environment and Conservation* 2020; 26(1): 163-70.
  15. Padma M, Manokari M, Thiruvalluvar M and Manjunatha YR: Folklore claims of some ethnomedicinal plants used by ethnic people of salem district, tamil nadu, India. *World Scientific News* 2019; 135: 214-26.
  16. Paul S, Darwin S and Amish D: Ethnobotanical survey at Puliangudi in tirunelveli district, tamil nadu, India. *Research J of Life Sciences Bioinformatics Pharmaceutical and Chemical Sciences* 2019; 5(1): 390-97.
  17. Subramanian MPS, Chelladurai V, Thiruvalluvar M and Manokari M: Folklore medicinal claims from Kani tribes of Kanyakumari district, tamil nadu, south India. *World News of Natural Sciences* 2019; 23: 306-20.
  18. Kumar G and Baojun XU: Ethnobotanical studies on folkloric medicinal plants in nainamalai, namakkal district, tamil nadu, India. *Trends in Phytochemical Research* 2017; 1(3): 153-68.
  19. Ramya EK, Mownika S and Sharmila S: An ethnobotanical exploration of medicinal plants in Manar Beat, Karamadai range, Western Ghats, Tamil Nadu. *Asian Journal of Pharmaceutical and Clinical Research* 2019; 12(9): 145-53.
  20. Rekha R, Nirubama K and Moorthy D: Potential of ethnobotanical medicinal plants used by malayali tribes in yercaud hills, eastern ghats of tamil nadu, India. *Journal of Applied and Natural Science* 2020; 12(4): 560-67.
  21. Logesh R, Dhanabal SP, Duraiswamy B, Chaitanya MVNL, Dhamodaran P and Rajan S: Medicinal plants diversity and their folklore uses by the tribes of Nilgiri hills, tamil nadu, india. *International Journal of Pharmacognosy and Chinese Medicine* 2017; 1(3): 1-12.
  22. Krupa J, Sureshkumar J, Silambarasan R, Priyadarshini K, Ayyanar M: Integration of traditional herbal medicines among the indigenous communities in Thiruvapur district of Tamil Nadu, India. *Journal of Ayurveda and Integrative Medicine* 2019; 10(1): 32-37.
  23. Nandhini DU, Sakthinathan B and Kumaresan S: Ethnobotany of medicinal herbs in indigenous folklore of Siruvani region of Tamil Nadu. *Journal of Pharmacognosy and Phytochemistry* 2017; 6(5): 2078-81.
  24. Chinnappan RS, Thangavel G and Subburaju UK: Ethnobotanical survey in Alanur and Maan Kombu blocks of kalrayan hills, tamil nadu, India. *International Journal of Ayurveda* 2017; 2(12): 1-5.
  25. Rajalakshmi S, Vijayakumar S and Arulmozhi P: Ethnobotanical survey of medicinal plants in thanjavur and its surroundings tamil nadu India. *Journal of Ethnopharmacology* 2019; 39(5): 380-97.
  26. Subramanian MPS, Manokari M, Thiruvalluvar M and Manjunatha RY: Folklore claims of some ethnomedicinal plants used by ethnic people of Salem district, Tamil Nadu, India. *World Scientific News* 2019; 135: 214-26.
  27. Priyadharshana M, Smitha V and Vadivel V: Ethnobotanical survey of medicinal plants used by traditional healers in muduvaithanantall village of thoothukudi district, tamil nadu, India. *Journal of Pharmacy and Biological Sciences* 2019, 14(6): 70-75.
  28. Singh J, Dhupper R, Sharma S and Jindal T: Traditional knowledge on ethnomedicinal plants among local people of sarain range, chopal forest division, himachal pradesh, India. *Plant Archives* 2020; 20(2): 5643-52.
  29. Nitesh K, Vivek K, Sunita S and Surendra KG: Documentation of traditional knowledge about medicinal value of some wild edible plants resources of Hamirpur district (H.P). *Journal of Medicinal Plants Studies* 2019; 7(6):175-78.
  30. Pratap GP, Husain MK, Kazmi MH, Sudarsanam G and Prasad GP: Ethno-medico documentation of medicinal plants in madanapalle mandal of chittor district, andhra pradesh. *Indian Journal of Ayurveda and Research* 2018; 1(1): 11-18.
  31. Samar R, Jain M and Shrivastava NP: Ethnobotanical study of medicinal plants used by tribes of guna district, madhya pradesh, India. *International Journal of Advance Scientific Research and Engineering Trends* 2020; 5(8): 111-20.
  32. Jain M, Shrivastava PN, Samar R: Survey of ethnobotanical medicinal plants used by the people of district guna, madhya pradesh, India. *International Journal of Life Science Scientific Research* 2018; 4(4): 1880-88.
  33. Alawa KS, Ray S and Dubey A: Folklore claims of some ethnomedicinal plants used by Bhil tribes of dhar district madhya pradesh. *Bioscience Discovery* 2016; 7(1): 60-62.
  34. Marko B and Sandya GS: Ethnobotanical study of traditional medicinal plants used by tribe of dindori district MP. *International Journal of Applied Research* 2020; 6(10): 90-93.
  35. Gupta R and Malhotra C: An ethnobotanical study of medicinal plants in karnal city of haryana. *Journal of Critical Reviews* 2020; 7(4): 4312-40.

36. Purushothaman T and Irfana K: Ethnobotanical medicines used by the kani and kurichiyar tribal communities of kerala. *International Journal of Arts Science and Humanities* 2020; 8(1): 191-99.
37. Marjana, Mini PP, Remyakrishnan CR and Baiju EC: Ethnomedicinal flowering plants used by kurumas, kurichiyas and paniyas tribes of wayanad district, of kerala, India. *International Journal of Biology Research* 2018; 3(3): 1-8.
38. Raghunathan M: An ethnobotanical survey of medicinal plants utilized by folk people of the thrissur forest circle, kerala. *European Journal of Pharmaceutical and Medical Research* 2017; 4(11): 401-09.
39. Athira KR: of Medicinal plants selected wetlands in ariyannur, thrissur district, kerala- a preliminary study. *International Journal of Current Pharmaceutical Research* 2019; 11(5): 38-40.
40. Raghunathan M: Therapeutic plants used by the native villagers of Northeast Kerala part of Western Ghats. *European Journal of Pharmaceutical and Medical Research* 2017; 4(11): 602-09.
41. Anish BVB and Antony VT: A study on indigenous herbal remedies practiced by tribes of kasargod district, kerala. *Advances in Biology and Biomedicine* 2017; 4(1): 1-6.
42. Krishnamoorthi V, Rajendran M, Khazi KA and Noor ZA: Diversity and traditional knowledge of wild fruit used by Muthuvan tribes of Wayanad district, kerala, India. *International Journal of Botany Studies* 2018; 3(6): 19-24.
43. Jenny MPA and Suganthi: Ethnobotanical survey on medicinal plants used by tribal people in attappady, Kerala. *International Journal of Pharmaceutical Science and Research* 2017; 2(1): 17-23.
44. Archana S, Meghanad C and Nishi S: Ethnobotanical study of medicinal plants used by tribal people Wadegaon and Ghot villages of Gadchiroli district of maharashtra state. *International Journal of Life Sciences* 2020; 8(2): 411-16.
45. Jadhav RR: Ethnobotanical and ethnomedicinal survey of kadegaon tashil, sangli maharashtra India. *Journal of Medicinal Plants Studies* 2016; 4(1): 11-14.
46. Beldar VG and Sidat PS: Ethnomedicinal plants used in Maharashtra for treatment of various diseases and disorders. *Manipal Journal of Pharmaceutical Sciences* 2020; 6(2): 12-36.
47. Soyala K, Padma RG and Binay S: Ethnobotanical uses and socio-economic importance of climbing species in arunachal pradesh, India. *Plant Science Today* 2020; 7(3): 371-77.
48. Karnan J, Yanung JL, Tamin P, Suriliandi R and Kaliyamoorthy J: Diversity of medicinal plants used by Adi community in and around area of d'ering wildlife sanctuary, arunachal pradesh India. *World Scientific News* 2017; 65: 135-59.
49. Jaskirat K, Rajinder K and Avinash KN: Traditional use of ethnomedicinal plants among people of kapurthala district, punjab, India. *Pharmacognosy Magazine* 2020; 16(68): S69-80.
50. Singh NK and Tripathi RB: Some medicinal plants used to cure Diarrhoea in rural communities of bahraich district uttara pradesh, India. *International Journal of Recent Scientific Research* 2019; 10(12B): 36380-83.
51. Monika, Mishra D, Bisht PS and Chaturvedi P: Medicinal uses of traditionally used plants in bhatwari block, district uttarkashi, uttarakhand, India. *Journal of Scientific Research* 2020; 64(1): 119-26.
52. Singh A, Nautiyal MC, Kunwar RM and Bussmann RW: Ethnomedicinal plants used by local inhabitants of Jakholi block, rudraprayag district, western himalaya, India. *Journal of Ethnobiology and Ethnomedicine* 2017; 13(49).
53. Kumar R and Singhal VK: Traditional knowledge and conservation status of some selected medicinal herbs from Uttarkashi district in uttarakhand, western himalayas. *Taiwania* 2019; 64(1): 52-64.
54. Rajnandani K, Anil K and Baidyanath K: Ethnobotanical investigation of medicinal plants used by rural communities of district chatra, jharkhand, India. *Journal of Biotechnology and Biochemistry* 2019; 5(6): 34-49.
55. Dharmesh PC and Jat BL: An Ethnobotanical survey of medicinal plants used by traditional healers of kaprada forest (valsad district) gujarat, India. *International Journal of Current Microbiology and Applied Research* 2018; 7(7): 2034-23.
56. Panmei R, Gajurel PR and Singh B: Ethnobotany of medicinal plants used by the zeliangrong ethnic group of manipur, northeast India. *Journal of Ethnopharmacology* 2019; 235: 164-82.
57. Debbarma M, Pala NA, Kumar M and Bussmann RW: Traditional knowledge of medicinal plants in tribes of tripura in northeast, India. *African Journal of Traditional, Complementary and Alternative Medicines* 2017; 14(4): 156-68.
58. Raj AJ, Biswakarma S, Pala NA, Shukla G, Vineeta, Kumar M, Chakravarty S and Bussmann RW: Indigenous uses of ethnomedicinal plants among forest-dependent communities of northern bengal, India. *Journal of Ethnobiology and Ethnomedicine* 2018; 14(8): 10.
59. Rahayu E, Oktapianti and Matondang: Ethnobotany survey of medicinal plants used for traditional maternal healthcare by serawai tribe, seluma district, bengkluu - indonesia. *Journal of Current Medical Research and Opinion* 2020; 3(4): 441-48.
60. Mahendra A, Rashmi T, Ripu MK, Hariprasad D and Prakash P: Ethnomedicinal uses of plant resources in the Machhapuchchhre rural municipality of kaski district, Nepal. *Medicines* 2019; 6(69): 10.
61. Senthilkumar K, Mathialagan P and Manivannan C: Herbal snake bite remedies of Irula tribal people of Kancheepuram district, tamil nadu, India. *International Journal of Current Microbiology and Applied Sciences* 2018; 7(7): 425-28.
62. Radha, Puri S and Kumar S: Ethnobotanical study of wild medicinal plants used by migratory shepherds-a tribal community of western himalayas. *Asian Journal of Pharmaceutical and Clinical Research* 2019; 12(4): 137-44.
63. Tantengco OAG, Condes MLC, Estadilla HHT and Ragragio EM: Ethnobotanical survey of medicinal plants used by ayta communities in dinalupihan, bataan, philippines. *Pharmacognosy Journal* 2018; 10(5): 859-70.
64. Caballero-Serrano V, McLaren B, Carrasco JC, Alday JG, Fiallos L, Amigo J and Onaíndia M: Traditional ecological knowledge and medicinal plant diversity in ecuadorian amazon home gardens. *Global Ecology and Conservation* 2019.
65. Chandrasekar R and Chandrasekar S: Natural herbal treatment for rheumatoid arthritis -A review. *International Journal of Pharmaceutical Sciences and Research* 2017; 8(2): 368-84.
66. Ashebo T: A review on the qualitative method of the study of People-Plants' relationship in their environment. *International Journal of Environmental Sciences and Natural Resources* 2019; 22(1): 21-29.
67. Jasmeet A, Sanjay K and Aparajita M: Ethnomedicinal, phytochemical and ethnopharmacological aspects of four

- medicinal plants of malvaceae used in Indian traditional medicines- A review. *Medicines* 2017; 4(75).
68. Jaiswal P and Jain B: A review on ethnomedicinal plants of nimar area in madhya pradesh. *International Journal of Pharmacognosy and Phytochemical Research* 2017; 9(7): 1017-20.
  69. Pradhan R, Manohara TN, Suresh HS and Nayak AP: An ethnomedicinal study of important medicinal plants in Kudermukh National Park of Karnataka: A review. *International Journal of Current Microbiology and Applied Sciences* 2020; 9(9): 3477-90.
  70. Gulati R: Medicinal and aromatic plants biodiversity of India- A review. *International Archive of Applied Sciences and Technology* 2018; 9(4): 130-37.
  71. Sushmita S: A review of some medicinal plants used for nervous disorders. *Journal of Medicinal Plants Studies* 2018; 6(1): 220-24.
  72. Sivakrishnan S: Traditional herbal medicines- A review. *International Journal of Research and Analytical Reviews* 2018; 5(4): 611-14.
  73. Mansoor NR and Sanmugarajah V: A literature review on medicinal plants that are being used in traditional medicine for the management of the snake bites in Sri Lanka. *Asian Plant Research Journal* 2018; 1(1): 1-18.
  74. <http://www.florakarnataka.ces.iisc.ac.in/hjcb2/>. Accessed on 26(9): 2020.
  75. <http://www.theplantlist.org>. Accessed on 20(10): 2020.
  76. Bhat KG: *Flora of South Kanara*. Aakrithi Prints Revised second edition 2020.
  77. Caroline SW, Hugo J, Rajindra K, Tinde A, Rainer W and Marco L: Recommended standards for conducting and reporting ethnopharmacological field studies. *Journal of Ethnopharmacology* 2018; 210: 125-32.
  78. Kushwaha A, Jain S, Bhojwani K and Kalyani G: Concise synopsis on quantitative ethnobotanical tools for medicinal plant analysis. *International Journal of Pharmaceutical Sciences Review and Research* 2018; 48(1): 128-32.
  79. Parthiban R, Vijayakumar S, Yabesh JEM: Quantitative traditional knowledge of medicinal plants used to treat livestock diseases from kudavasal taluk of thiruvavur district, tamilnadu, India. *Brazilian Journal of Pharmacognosy* 2016; 26: 109-21.
  80. Bhat JG: Ethnomedicobotany of naika tribe of dakshina kannada district of karnataka and their clinical evaluation in sarpasuttu herpes zoster. Ph D Thesis Submitted To Mangalore University 2005.
  81. Bhandary MJ: Indigenous plant based knowledge with special reference to medical practice in the coastal districts of Karnataka. Ph D Thesis Submitted To Mangalore University 2000.
  82. Lingaraju DP, Sudharshana MS and Rajashekhar N: Ethnopharmacological survey of traditional medicinal plants in tribal areas of kodagu district, karnataka, India. *Journal of Pharmacy Research* 2013; 6: 284-97.
  83. Hiremath VT, Vijayakumar MJ and Taranath TC: Survey on ethno-medicinal plants of jogimatti forest of chitradurga district, karnataka state, India. *International Journal of Science & Technology* 2010; 5: 223-33.
  84. Upadhy V, Hegde HV, Bhat S, Hurkadale PJ, Kholkute SD and Hegde GR: Ethnomedicinal plants used to treat bone fracture from north-central western ghats of India. *Journal of Ethnopharmacology* 2012; 142: 557-62.
  85. Arati L and Srinath R: Ethno-medicinal plants used to treat some psychological (mental) disorders by traditional practitioners of vijayapur (bijapur) district of karnataka, India. *International Journal of Ethnobiology and Ethnomedicine* 2016; 3(1): 1-7.
  86. Arati L: Ethnobotany and traditional practitioners: a study in bijapur district. PHD Thesis Submitted To Gulbarga University 2017.
  87. Shivakumara SL and Karigar CS: Documentation of traditional medicinal plants of Sira taluk of tumkur district, karnataka state, India. *International Journal of Advanced Science Research and Publications* 2061; 2(5): 100 -106.
  88. Suresha S, Jayashankar M and Vinu AK: Medicinal plants diversity in muthathi wild life sanctuary, karnataka, India. *Indian Journal of Pharmaceutical and Biological Research* 2018; 6(3): 13-22.
  89. Prashanthkumar GM and Shiddamallayya N: Survey of wild medicinal plants of hassan district, karnataka. *Journal of Medicinal Plants Studies* 2016; 4(1): 91-02.
  90. Arjun VK, Vaibhav BW, Nileshkumar KN and Arawind SD: Ethnobotanical survey of mangroves and their associates in uttara kannada district, karnataka state. *International Journal of Botany Studies* 2018; 3(3): 22-23.
  91. Gireesha J and Raju NS: Ethno botanical study of medicinal plants in br hills region of western ghats, karnataka. *Asian Journal of Plant Science and Research* 2013; 3(5): 36-40.
  92. Smitha B, Mulgund GS and Pradeep B: Ethnomedicinal practices for the treatment of arthritis in siddapur region of uttara kannada district, karnataka, India. *Journal of Herbs Spices & Medicinal Plants* 2019.
  93. Shiddamallayya N, Yasmeen A and Gopakumar K: Hundred common forest medicinal plants of karnataka in primary healthcare. *Indian Journal of Traditional Knowledge* 2010; 9(1): 90-95.
  94. Deviprasad AG and Komalkumar J: Ethno-botanical potential of medicinal legumes in the western ghats of karnataka. *Indo American Journal of Pharmaceutical Research* 2013; 3(1): 1300-07.
  95. Lakshmana, Ashwini AH, Vasanthakumar K and Sreenath KP: An ethnobotanical survey of wild aromatic medicinal plants of davanagere district, karnataka state, India. *International Journal of Advanced Research* 2015; 3(10): 1285-96.
  96. Vinay MB, Vasantha KK and Parashurama TR: Ethno-medico-botanical knowledge of rural folk in anagodu forest of davangere district, south India. *International Journal of Science and Research* 2013; 6(14): 2589-94.
  97. Ravikumar BS and Theerthavathi BS: Ethno-botanical survey of medicinal plants in semi-malnad area of hassan district, karnataka. *Journal of Pharmacognosy* 2012; 3: 75-78.
  98. Kalmath SV, Patil MS, Kritika SK, Mahantesh SP and Patil CS: Existancy and survey of medicinal plants of bidar district, karnataka, India. *World Research Journal of Medicinal and Aromatic Plants* 2012; 1(1): 14-21.
  99. Bairy ST: Ethno-medico-botanical survey of Kadoor and Nadoor village and a study on leucas biflora (vahl.) r.br., phd thesis. Dept of Applied Botany Mangalore University Mangalagangothri 2007.
  100. Vinayaka U, Divakar M, Hegde HV, Shripad B and Kholkate SD: Ethnomedicinal plants of belagum region, karnataka. *Journal of Economic and Taxonomic Botany* 2009; 33: 300-309.
  101. Kshirsagar RD and Singh NP: Some less known ethnomedicinal uses from mysore and coorg districts, karnataka, India. *Ancient Science of Life* 2001; 20: 20-25.
  102. Kariyajjanavar P, Yargol S, Achar S and Parashurama TR: Traditional healthcare knowledge of sedum taluk, kalaburgi, karnataka, south India. *International Journal of Current Microbiology and Applied Sciences* 2016; 5(11): 321-28.

103. Rajakumar N and Shivanna MB: Ethno-medicinal application of plants in the eastern region of shimoga district, karnataka, India. *Journal of Ethnopharmacology* 2009; 126: 64-73.
104. Shivanna MB and Rajakumar N: Ethno-medico-botanical Knowledge of rural folk in bhadravathi taluk of shimoga district, karnataka. *Indian Journal of Traditional Knowledge* 2010; 9(1): 158-62.
105. Rajeshwari N, Shoba H, Venkatesh H, Krishnappa and Gangadharappa PM: Ethnomedicinal plants and their utilization by villagers in koppal district of karnataka. *J of Pharmacognosy & Phytochemistry* 2018; 3: 450 -52.
106. Shiddamallayya N, Ramarao V, Doddamani SH, Giri SK, Shubhashree MN and Sulochana B: Ethno-medicine system of Gadag district, karnataka, India. *Journal of Pharmacognosy and Phytochemistry* 2016; 5(4): 109-21.
107. Somashekhara KG, Vijaya B and Shivanna MB: Ethno-medico-botanical knowledge of tiptur taluk in tumkur district of karnataka, India. *Indian Journal of Traditional Knowledge* 2015; 1(1): 147-54.
108. Vijay D and Seetharam YN: Ethnobotanical studies on plants of northeastern Karnataka. *International Journal of Botany Studies* 2019; 4(2): 21-24.
109. Prathap GK, Ashwini S and Manjula S: Practice of traditional medicinal plants in humans and cattle in arasikere hobli of karnataka, *Journal of Medicinal Plants Studies* 2017; 5(3): 38-41.
110. Gowramma B, Kyagavi G, Karibasamma H and Ramanjinaiah KM: Documentation of major medicinal plants in sandure of karnataka, India. *Journal of Medicinal & Aromatic Plants* 2020; 9: 348.
111. Somashekhara GA, Rajakumar N and Shivanna MB: Ethno-medico-botanical kaknowledge of khare-vokkaliga community in utara kannada district of karnata, India. *J of Complementary and Integrative Medicine* 2010; 7: 1-18.
112. Bhagya B and Sridhar KR: Ethnobiology of coastal sand dune legumes of southwest coast of India. *Indian Journal of Traditional Knowledge* 2009; 8(4): 611-20.
113. Shiddamallayya N, Azra Y and Gopakumar K: Medico-botanical survey of kumar parvatha kukke subramanya, mangalore, karnataka. *Indian Journal of Traditional Knowledge* 2010; 9(1): 96-99.
114. Prashanthkumar P and Vidyasar GM: Documentation of traditional knowledge on medicinal plants of bidar district, karnataka. *Indian J of Traditio Know* 2006; 5(3): 295-99.
115. Chandini KC: Traditional and indigenous uses of medicinal plants by tribal community in mallenahalli village of chikkamagalur district of karnatraka. *International Journal of Scientific Research and Review* 2019; 8(2): 55-60.
116. Siddalingamurthy SM: Traditional knowledge on edible medicinal plants of harappannahalli taluk in davangere district of karnataka, India. *World Journal of Pharmacy & Pharmaceutical Sciences* 2015; 4(1): 494-504.
117. Ghatapandi SR, Johnson N and Rajasab AH: Documentation of folk knowledge on medicinal plants of gulburga district, karnataka. *Indian Journal of Traditional Knowledge* 2011; 10(2): 349-53.
118. Harsha VH, Hebbar SS, Hegde GR and Shripathi V: Ethnomedical knowledge of plants used by Kunabi tribe of karnataka in India. *Fitoterapia* 2002; 73: 281-87.
119. Nagalakshmi M and Rashmi S: Documentation of indigenous knowledge on folk medicine in dddakavalande hobli, najangud taluk of mysore district, karnataka. *Journal of Drug Delivery and Therapeutics* 2020; 10(1): 39-47.
120. Kasilingam S and Sannyasi E: Ethnomedicinal uses of plants used by Jenukuruba tribes at rajiv gandhi national tiger reserve park, hunsur, mysore, karnataka, India. *International Journal of Advanced Herbal Science & Technology* 2017; 3(1): 49-66.
121. Rajakumar N and Shivanna MB: Traditional herbal medicinal knowledge in Sagar taluk of shimoga district, karnataka, India. *Indian Journal of Natural Products and Resources*, 2009; 1(1): 102-108.
122. Veersha M and Krupalini HS: Tribal medicine practices in Kadugolla tribes: A sociological study of chitradurga district. *International Journal of Trend in Scientific Research & Development* 2018; 2(5): 1020-23.
123. Savinaya MS, Sangamesh SP, Narayana J and Krishna V: Traditional medicine knowledge and diversity of medicinal plants in sharavathi valley of central western ghats. *International Journal of Herbal Medicine* 2016; 4(6): 124-30.
124. Bhandary MJ, Chandrashekar KR and Kaveriappa KM: Ethnobotany of gowlis of utara kannada district, karnataka. *Journal of Economic and Taxonomic Botany* 1996; 12: 244-49.
125. Mahishi P, Srinivasa BH and Shivanna MB: Medicinal plant wealth of local communities in some villages in shimoga district of karnataka, India. *Journal of Ethnopharmacology* 2005; 98: 307-12.
126. Parinitha M, Harish GU, Vivek NC, Mahesh T and Shivanna MB: Ethno-botanical wealth of Bhadra wild life sanctuary in Karnataka. *Indian Journal of Traditional Knowledge* 2004; 3(1): 37-50.
127. Nanjunda DC: Ethno-medico-botanical investigation of jenu kuruba ethnic group of karnataka state, India. *Bangladesh Journal of Medical Sciences* 2010; 9(3): 161-69.
128. Bhandary MJ, Chandrashekar KR and Kaveriappa KM: Medical ethnobotany of siddis of utara kannada district, karnataka, India *J Ethnopharmacol* 1995; 47: 149-56.
129. Prakasha HM, Krishnappa M, Krishnamurthy YL and Poornima SV: Folk medicine of NR pura taluk in chikmagalur district of karnataka. *Indian Journal of Traditional Knowledge* 2010; 9(1): 55-60.
130. Suryawanshi P and Vidyasagar GM: Ethnomedicinal plants used by rajgond tribes of haladkeri village in bidar district, karnataka, India. *International Journal of Pharmacy & Pharmaceutical Sciences* 2015; 7(8): 216-20.
131. Santhosh NR, Yogeshkumar RG and Krishnaswamy K: Ethno medicinal plants used by traditional herbal practitioners of Kadur taluk of Chikmagalore district of Karnataka, India. *Journal of Medicinal Plants Studies* 2014; 2(4): 69-72.
132. Lavanya R and Pramod VP: Traditional knowledge on folk medicine by rural women in chikkanayakanahalli taluk, tumkur district, karnataka. *International Journal of Herbal Medicine* 2017; 5(2): 05-10.
133. Chen P, Zheng F, Zhang Y, Gao F, Chen Y and Shi G: Ethnobotanical study of medicinal plants on arthritis used by chaoshan in guangdong, China. *Medicinal Chemistry* 2016; 6(12): 715-23.
134. Chaachouay N, Benkhniq O, Fadli M, Ayadi RE and Zidane L: Ethnobotanical study of medicinal plants used to treat osteoarticular diseases in the moroccan rif, morocco. *J of Pharmacy and Pharma Research* 2019; 7(6): 454-70.
135. Amoateng P, Quansah E, Karikari TK, Asase A, Osei-Safo D, Kukuia KKE, Amponsah IK and Nyarko AK: Medicinal plants used in the treatment of mental and neurological disorders in ghana. *Evidence-Based Complementary and Alternative Medicine* 2018.
136. Idm'hand E, Msanda F and Cherifi K: Ethnopharmacological documentation of medicinal plants



- used in the traditional treatment of hypertension in tarfaya province, morocco. International Journal of Pharmacology, Phytochemistry and Ethnomedicine 2019; 14: 16-39.
137. Jamshidhi-Kia F, Lorigooini Z and Amini-Khoei H: Medicinal plants: past history and future perspective. Inter National J of Herbmed Pharmacology 2018; 7(1): 1-7.
138. Susmita S: Medicinal uses of plants for nervous disorders. Advances in Complementary & Alternative Medicine Crimson Publishers 2018; 3(1): 184-89.
139. Camil Rex M and Lokesh R: A review on *Cissus quadrangularis* L. as herbal medicine. Indian Journal of Natural Products and Resources 2020; 11(3): 155-64.
140. Nabarun M, Sampath V, Sameer P, Babu VU and Lobo R: Anti-arthritis medicinal plants- A review. Research Journal of Pharmacy and Technology 2019; 12(1): 375-81.
141. Vinutha T, Gopenath TS, Shanmukhappa BK, Karthikeyan M, Ashok G, Ranjith MS, Pradeep P, Vijay K and Kanthesh MB: Medicinal values and pharmacological activities of *Vitex negundo* Linn. Journal of Global Trends in Pharmaceutical Sciences 2020; 11(1): 7579-89.
142. Babu NVJ, Pragada PM and Rao GMN: Survey and documentation on ethnomedicinal plants used for the treatment of osteoporosis by traditional healers in Eastern ghats of andhra pradesh, India. International Journal of Herbal Medicine 2020; 8(3): 25-31.
143. Faisal M, Shrikanth P, Shetty N and Sunil Kumar KN: IUCN status of important ethno botanical plants of udyavara village (udupi, karnataka). Journal of Ayurvedic and Herbal Medicine 2020; 6(1): 30-36.

**How to cite this article:**

Yogeesha A and kumar KG: A review on traditional medicinal plants used against common neuro-musculo-skeletal disorders in karnataka state, india. Int J Pharm Sci & Res 2022; 13(2): 493-09. doi: 10.13040/IJPSR.0975-8232.13(2).493-09.

All © 2022 are reserved by International Journal of Pharmaceutical Sciences and Research. This Journal licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

This article can be downloaded to **Android OS** based mobile. Scan QR Code using Code/Bar Scanner from your mobile. (Scanners are available on Google Playstore)