



Received on 12 September, 2016; received in revised form, 03 November, 2016; accepted, 17 November, 2016; published 01 March, 2017

COMPARATIVE EFFECTIVENESS OF SIMULATION BASED TEACHING VERSUS CONVENTIONAL TEACHING FOR UNDERGRADUATE STUDENTS OF SECOND PROFESSIONAL M.B.B.S IN EXPERIMENTAL PHARMACOLOGY

Meena Atray ^{*1}, Apruva Agrawal ¹ and Deepika Atray ²

Department of Pharmacology ¹, Department of Microbiology ², R.N.T. Medical College, Udaipur, Rajasthan, India.

Keywords:

Simulator,
Demonstration,
Animal experiments,
Experimental pharmacology

Correspondence to Author:

Dr. Meena Atray

Professor
Department of Pharmacology,
R.N.T. Medical College, Udaipur,
Rajasthan, India.

E-mail: drmatray@gmail.com

ABSTRACT: Aims: To evaluate and analyze effectiveness of animal simulation based teaching in pharmacology in comparison to conventional methods to undergraduate medical students. **Methods:** An interventional and comparative study was conducted among second professional MBBS students. All students were divided into two groups A and B. Four demonstrations of experimental pharmacology were demonstrated by conventional method and animal simulation method by same teacher. Both groups were equally exposed to both modes of demonstrations. Every demonstration was followed by an assessment containing thirty objective type questions. Feedback was taken to analyze generalized opinion about the programme on likert's scale. The data was analyzed by using Fisher's exact test and p value calculated. **Results:** Percentage of students who scored 60% or more was higher in simulator based teaching in assessment related to procedure, related pharmacology and applied pharmacology. The difference between total scores of both groups in all four demonstrations was statistically significant with p value < 0.05. In feedback, percentage of students who opted three or more on likert scale was higher for simulator based teaching. 83% students preferred simulator based mode of teaching in future, while only 63.8% preferred to perform practical on it. The difference was statistically significant with p value 0.0047. **Conclusion:** The study recommends use of animal simulation for teaching experimental pharmacology, as it is found to be effective, interesting and feasible without sacrificing and providing pain to animals as compared to conventional method. Study also points out need of computer training for the faculty and students.

INTRODUCTION: Pharmacology is the science of drugs. It involves understanding the interaction of exogenously administered chemicals with living systems including interactions between drug molecules and receptors.

Animal experiments were an integral part of pharmacology teaching to undergraduate students. The main purpose of animal experiments was to develop skills for performing *in-vivo* and *in-vitro* experiments and to correlate the findings with theoretical concepts explained in lectures and textbooks. However use of animals for teaching and learning of pharmacology has shown a downward trend over the last decade due to ethical concerns, practical problems associated with the animal experiments such as availability of animals, cost of purchasing animals and maintaining animal houses.^{1,2}

<p>QUICK RESPONSE CODE</p>	<p>DOI: 10.13040/IJPSR.0975-8232.8(3).1492-97</p> <hr/> <p>Article can be accessed online on: www.ijpsr.com</p> <hr/> <p>DOI link: http://dx.doi.org/10.13040/IJPSR.0975-8232.8(3).1492-97</p>
-----------------------------------	--

Due to serious ethical concerns related to use of animals for experiments, the University Grant Commission (UGC) has decided to stop the animal experimentation for undergraduate students.³

Thus majority of medical colleges in India are now not using animal experiments for undergraduate teaching. For last few years undergraduate teaching for experimental pharmacology has been shifted to teaching with prepared tracings, group discussions, use of charts, tables etc.^{4, 5} Another important method of understanding concepts of pharmacology is by replacing animal experimentation with animal simulation. Animal simulators and Computer assisted learning (CAL) which has worldwide acceptance⁶⁻⁸ can revolutionize teaching pharmacology in undergraduate training. Computer assisted learning can provide an interactive and personalized learning experience and thus promote active and self-directed learning.⁹

Though studies related to use of Animal Simulators and Computer associated learning in undergraduate training are available^{8, 10} but none of them has compared the effectiveness of animal simulation and CAL with conventional teaching method currently followed in majority of medical colleges of country. Thus this study was planned to evaluate and analyze effectiveness of animal simulation based teaching in pharmacology in comparison to conventional methods to undergraduate medical students.

Methodology: A prospective interventional and comparative study was conducted among second professional MBBS students. Prior permission was taken from Institutional Ethics Committee and Head of the department. All students in Second professional were included in the study, and divided into group A and B. Group A included students with odd roll numbers and group B with all even roll numbers. Four demonstrations of experimental pharmacology were selected.

1. Effect of drugs on dogs BP—Experiment on Intact animal (sacrificed)
2. Effects of drugs on frogs rectus abdominis muscle---Experiment on isolated tissue
3. Effects of drugs on Rabbits eye---Effect on intact animal (not sacrificed)

4. Effect of drugs on isolated perfused heart – Experiment on involuntary organ

Demonstration no. 1 and 3 were taken in Group A and 2 and 4 to group B on animal simulator. Demonstration no. 2 and 4 were taken in group B and 1 and 3 to group A by conventional method. Thus both groups were equally exposed to both modes of demonstrations. All the experiments were demonstrated by same teacher at interval of one week. The demonstration included following steps:

1. Steps of animal dissection
2. Tracings of effect of drugs used
3. Steps of animal experiment
4. Pharmacology of drugs used
5. Clinical implementation of drugs used in experiment
6. Probable research prospective of experiment

Every demonstration was followed by an assessment sheet containing thirty objective type questions, which was validated by faculty of the department. The Questions were divided into four categories. Ten questions were from procedure, ten from related pharmacology, five from the applied part and five questions for research orientation. Each question carried one mark.

After conducting all four demonstrations, feedback was taken by the students to analyze generalized opinion about the programme. The feedback was taken on clarity of objectives, interesting or not, explanation of procedure, research orientation, retaining capacity and correlation with theory knowledge, each on likert's scale. Last two questions were related to their preference of mode of conducting demonstration and experimentation in future.

The results were analyzed by comparing percentage of students who procured 60% or more than 60% in questions pertaining to all individual categories, total score in individual demonstrations and cumulative score of all four demonstrations, in both the groups. The data was analyzed by using Fisher's exact test and p value calculated. Feedback from students was analyzed by number of students who rated three or more than three on likert scale in both the groups. Percentage of students was calculated for the mode of demonstration and experimentation they would like to prefer in future.

RESULTS: Number of respondents varied in every demonstration depending upon the attendance of students. For demonstration-1, 49 students responded for conventional method and 47 for simulator method, for demonstration2, 49 and 53 respectively, for demonstration-3, 52 and 55 and for demonstration-4, 44 students responded for

conventional while 45 responded for animal simulator. Ninety four students responded the feedback form.

Percentage of students who scored 60% or more than 60% in different categories of assessment after demonstration is mentioned in **Table 1**.

TABLE 1: PERCENTAGE OF STUDENTS SCORING ≥60% WHEN DEMONSTRATION WAS TAKEN BY CONVENTIONAL METHOD AND ANIMAL SIMULATION METHOD

S. No.	Practical exercise	Categories of marks distribution	Percentage of students scored 60% or more than 60%		P value
			Conventional teaching method	Simulator based teaching	
1	Effect of drugs on rabbit's eye	Procedure	89.8	100	< 0.05
		Related pharmacology	61.2	76.6	
		Applied pharmacology	59.2	72.3	
		Research orientation	59.2	63.8	
		Total score	69.4 (34 students out of 49)	89.4 (42 students out of 47)	
2	Effect of drugs on isolated frog's perfused heart	Procedure	91.8	100	< 0.05
		Related pharmacology	69.4	94.4	
		Applied pharmacology	67.3	87	
		Research orientation	69.4	68.5	
		Total score	75.5 (37 students out of 49)	98.1 (53 students out of 54)	
3	Effect of drugs on dog's BP	Procedure	90.4	100	< 0.05
		Related pharmacology	61.2	89.1	
		Applied pharmacology	59.6	78.2	
		Research orientation	40.4	43.6	
		Total score	71.2 (37 students out of 52)	89.1 (49 students out of 55)	
4	Effect of drugs on isolated rectus abdominis muscle	Procedure	79.5	91.1	< 0.05
		Related pharmacology	81.8	93.3	
		Applied pharmacology	75	91.1	
		Research orientation	50	51.1	
		Total score	70.5(31 students out of 44)	88.9 (40 students out of 45)	
5	Cumulative score		71.6% (139 students out of 194)	91.5% (184 students out of 201)	<0.05

Percentage of students who scored 60% or more than 60% was higher in simulator based teaching for first three categories i.e. procedure, related pharmacology and applied pharmacology. There was no significant difference in scores of students in category of research orientation between both groups. The difference between total scores of both groups in all four demonstrations was statistically significant with p value < 0.05. The difference in cumulative scores was also statistically significant. (**Table 1**)

Feed back of students- Percentage of students who opted three or more than three on likert scale was higher for simulator based teaching (**Fig.1**). 83% students preferred simulator based mode of teaching in future, while only 63.8% preferred to perform practicals on computer assisted animal simulators. The difference was statistically

significant using Fisher's exact test (p value 0.0047).




FIG. 1: STUDENTS' FEEDBACK FOR CONVENTIONAL vs ANIMAL SIMULATOR BASED TEACHING (*= p VALUE)




FIG. 1: STUDENT'S PREFERENCE OF TEACHING METHOD IN FEEDBACK




FIG. 2: STUDENT'S PREFERENCE OF PRACTICAL METHOD IN FEEDBACK

DISCUSSION: Guidelines of Ministry Of Social Justice Empowerment for the conduct of experiments on animals prohibit the use of animals for demonstrations and repetition of experiments just for obtaining skills.¹¹ MCI has recommended computer assisted learning (CAL) for practical teaching of Pharmacology and Physiology for undergraduate students. For post-graduation and research work for new molecule at institution level, permission from institutional animal ethics committee which must include one nominee from the Committee for the Purpose of Control and Supervision of Experiments on Animals (CPCSEA), is mandatory.¹²

As most of medical graduate opt clinical practice as their profession, very few opt pre and para clinical branches and very few percentage from them join the research oriented carrier. Sacrificing and troubling animals to teach experimental pharmacology for observation of well established

effects of drugs is against animal protection and also it is an extra financial burden to the institution.⁹ On the other hand simulation based teaching has advantages of providing accurate and consistent results. In animal experiments, so many factors related to animals or experimental assembly may alter the result which is not the problem in simulator based teaching. The animal experiments also need trained faculty as well as assistant staff, which is not required in simulator based teaching. With simulator based learning, many students can observe the effect at a time and can repeat it to revise. Simulator based teaching also has advantage of promoting self learning, as students are capable to follow steps easily without help of any trained assistants, and the most important is that reduction, replacement and refinement of animal experiments can be achieved.¹³

After the ban on use of animal experimentation for undergraduate teaching, in majority of colleges experimental pharmacology is taught by prepared charts, graphs, tracings etc (conventional teaching). With no real animal experiment being done, most of the practical aspect is left to the imagination of the students. In our study animal simulator based teaching was compared with conventional teaching on the basis of scores achieved by the students and feedback of the students. We divided the scores in four headings for detail evaluation of effectiveness of both teaching methods. We opted to compare percentage of students who scored minimum of 60% or more, as total score may be affected by number of excellent or weak students in individual batch who may score minimum or maximum and provide false representation of teaching methods. Our study supports simulator based teaching as the scores of students were better and statistically significant in the animal simulator group as compared to the conventional teaching group. Studies on simulator based teaching are available but majority have only taken feedback from students and faculty.

One study by Badyal et al compared total scores and its results are similar to our study.⁴ Our results reflected better performance of students in understanding procedure, related pharmacology of drugs and applied part of drugs, but the difference in scores related to research methodology were not significant.

This may be due to lack of their knowledge regarding research methodology and students in both the group attempted the questions by guess only.

Regarding student's feedback, simulator based teaching was considered more effective in clarifying the objectives (96.8%) of the demonstration and in explaining procedure (98.9%), as pictorial and video demonstrations are available for demonstrating procedures. They also found enhanced retaining capability (96.8%) of it due to visual effect and it is easy to correlate with theory knowledge (95.7%). They found simulator based teaching more interesting (96.8%) also. The results are very much similar to the study conducted by Badyal et al.⁴ Study among pharmacy students by Wang L also reported similar outcomes, where students found simulator based teaching effective in achieving their learning objectives (98.7%), enjoyed using simulators (100%) and would prefer simulator based learning (100%).⁸

There was one contradictory statement in the feedback, students reported that simulator based teaching provide better research orientation (94.7%) than conventional teaching (61.7%), but this statement does not match with their scores, probably because of their inappropriate knowledge regarding fundamentals of health research.

One of the interesting finding in the study was that 83% students preferred simulator based teaching in future but only 63.8% students preferred simulator based practicals. Students are hesitant for doing practical exercises themselves on computers, which indicate inadequate computer knowledge and skill in medical students.

It was found that the simulator based teaching was time consuming to explain the procedure, effect of drugs and entering data in the tables. There were few areas where improvement is required in the simulators. Examination mode also needs some additions and more variety of exercises.

The study was only conducted for teaching by simulators, as due to lack of sufficient computers in the department, the study could not be expanded to the practical part by students. In future, study could

be expanded by including more exercises and practical part also. The study can further be conducted for post graduate teaching.

CONCLUSION: Learning objective of experimental pharmacology for undergraduate students is to learn well established effects of drugs on various animals and tissues and computer assisted learning is found to be effective, interesting, economic and feasible method of teaching and learning without sacrificing and providing pain to animals. The study recommends use of computer assisted method for teaching. Study also points out need of computer training for the faculty and students as well as availability of more advanced simulators for demonstration and practical for undergraduate students. The study can be further expanded by comparing practical performance of students and including simulator based learning in Post graduate curriculum.

REFERENCES:

1. Kuruvilla A, Ramalingam S, Bose AC, Shastri GV, Bhuvanewari K, Amudha G. Use of computer assisted learning as an adjuvant to practical pharmacology teaching: advantages and limitations. *Indian J Pharmacol.* 2001; 33:272-5.
2. Hansen LA, Boss GR. Use of live animals in the curricula of U.S. medical schools: Survey results from 2001. *Acad Med.* 2002; 77:1147-9.
3. University Grant Commission Notification on July 2014. [No.F.14-6/2014 (CPP-II)] Subject: Dissection and Animal experimentation in Zoology/ Life Sciences and Allied Disciplines in undergraduate, post graduate and research program.
4. Badyal DK, Modgill V, Kaur J. Computer simulation models are implementable as replacements for animal experiments. *Altern Lab Anim* 2009; 37:191-5.
5. Bhavsar VH, Vajpeyee SK, Joshi NJ, Mistry SD, Kantharia ND, Sharma AK et al. Training during practical pharmacology sessions for undergraduate medical students: an experience with a modified teaching programme. *Indian J Pharmacol* 1999; 31:176-86.
6. Naritoku DK, Faingold CL. Development of a Therapeutics Curriculum to Enhance Knowledge of Fourth-Year Medical Students about Clinical Uses and Adverse Effects of Drugs. *Teach Learn Med* 2009; 21: 148-152.
7. Gitanjali B. Animal experimentation in teaching: time to sing aswan song. *Indian J Pharmacol* 2001; 33: 71.
8. Wang L. Computer-simulated pharmacology experiments for Undergraduate pharmacy students: experience from an Australian university. *Indian J Pharmacol* 2001; 33: 280-2.
9. Baby LT, Kavalakkat JC, Abraham S, Sathianarayanan S. CAL: A modern tool for Pharmacology. *Internet J of Medical Simulation.* 2009; 2:2.
10. Nageswari KS, Devi MS, Sharma R. Simulation of physiology experiments –an alternative to animal use. *Indian J PhysiolPharmacol* 2007; 51 (4): 354-60.

11. Anon. Government of India notifies the rules for breeding of and conducting animal experiments. *Indian J Pharmacol* 1999; 31, 92–95.
12. Anon. Operational guidelines for observance of good practices in CPCSEA 2003, 11pp. Available at: http://envfor.nic.in/divisions/awd/opg_CPCSEA.pdf (Accessed

- 17.03.08). New Delhi, India: Ministry of Environment & Forests, Division of Animal Welfare.
13. Timmis S, Brown KN, Gilbert MJ, Gifford L, Lloyd A, Moss SH et al. PCALL Review. <http://www.coacs.com/pccal/reviews.May2000>.

How to cite this article:

Atray M, Agrawal A and Atray D: Comparative effectiveness of simulation based teaching versus conventional teaching for undergraduate students of second professional M.B.B.S in experimental pharmacology. *Int J Pharm Sci Res* 2017; 8(3): 1492-97. doi: 10.13040/IJPSR.0975-8232.8(3).1492-97.

All © 2013 are reserved by International Journal of Pharmaceutical Sciences and Research. This Journal licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

This article can be downloaded to **ANDROID OS** based mobile. Scan QR Code using Code/Bar Scanner from your mobile. (Scanners are available on Google Playstore)